

814-RD-007-002

EOSDIS Core System Project

Flight Operations Segment (FOS) Release A Version Description Document (VDD) for the ECS Project

Version 1.01

November 12, 1996

Hughes Information Technology Systems
Upper Marlboro, Maryland

Flight Operations Segment (FOS) Release A Version Description Document (VDD) for the ECS Project

Version 1.01

November 12, 1996

Prepared Under Contract NAS5-60000

SUBMITTED BY

<u>R. E. Clinard /s/</u>	<u>11/12/96</u>
Robert E. Clinard, ECS CCB Chairman	Date
EOSDIS Core System Project	

Hughes Information Technology Systems
Upper Marlboro, Maryland

814-RD-007-002

This page intentionally left blank.

Preface

This preliminary document accompanies the delivery of the Earth Observing System (EOS) Flight Operations Segment (FOS) Version 1.00 software and hardware for the ECS project. It is not a formal deliverable and does not require Government approval. However, it has been placed under configuration control by the EOSDIS Core System (ECS) Change Control Board (CCB). Changes to this document shall be made by document change notice (DCN) or by complete revision.

Any questions regarding distribution should be addressed to:

Data Management Office
The ECS Project Office
Hughes Information Technology Systems
1616 McCormick Dr.
Upper Marlboro, MD 20774

This page intentionally left blank.

Abstract

This document describes the delivery contents of the FOS components including commercial off-the-shelf (COTS) software, Version 1.00 of custom FOS software, and accompanying documentation.

The purpose of this document is to describe the contents of the FOS delivery. It briefly describes the capabilities of the product, provides an inventory of the delivery, lists unresolved problems, and addresses issues such as special operating instructions, and disclaimer notices for public domain software used in the product.

Keywords: CCB, deliver, EOC, ECL, description, instructions, inventory, FOT, FOS, manual, operations, problems, release, software, tools, user's, version, 1ST

This page intentionally left blank.

Change Information Page

List of Effective Pages			
Page Number		Issue	
Title		Version 1.01	
iii through xii		Version 1.01	
1-1 and 1-2		Version 1.01	
2-1 and 2-2		Version 1.01	
3-1 through 3-4		Version 1.01	
4-1 through 4-22		Version 1.01	
5-1 through 5-46		Version 1.01	
A-1 through A-6		Version 1.01	
B-1 and B-2		Version 1.01	
C-1 and C-2		Version 1.01	
D-1 and D-2		Version 1.01	
AB-1 through AB-4		Version 1.01	
Document History			
Document Number	Status/Issue	Publication Date	CCR Number
814-RD-007-001	Original, Version 1.00	October 18, 1996	96-1182
814-RD-007-002	Version 1.01	November 12, 1996	96-1268

This page intentionally left blank.

Contents

Preface

Abstract

Change Information Page

Contents

1. Introduction

1.1 Identification of Document	1-1
1.2 Scope of Document.....	1-1
1.3 Purpose and Objectives of Document.....	1-1
1.4 Document Status and Schedule.....	1-1
1.5 Document Organization	1-1

2. Related Documentation

2.1 Parent Document.....	2-1
2.2 Applicable Documents.....	2-1
2.3 Information Documents	2-1

3. Product Description

3.1 Product Description and General Capabilities.....	3-1
3.1.1 Analysis Subsystem (ANA).....	3-1
3.1.2 Command Subsystem (CMD).....	3-2
3.1.3 Command Management Subsystem (CMS).....	3-2

3.1.4 Data Management Subsystem (DMS).....	3-2
3.1.5 FOS User Interface Subsystem (FUI)	3-2
3.1.6 Planning and Scheduling (PAS).....	3-2
3.1.7 Real-Time Contact Management Subsystem (RCM)	3-2
3.1.8 Resource Management Subsystem (RMS)	3-3
3.1.9 Telemetry Subsystem (TLM).....	3-3

4. Product Inventory

4.1 Inventory of Materials.....	4-1
4.1.1 Documentation	4-1
4.1.2 Archive Tapes	4-1
4.1.3 Utility and Support Software	4-1
4.1.4 COTS Software Inventory	4-1
4.1.5 Shareware Inventory	4-5
4.2 FOS Custom Software	4-7
4.2.1 FOS Custom Software Version 1.00 Tar File Listing.....	4-7

5. Non-Conformance Status

5.1 Known Problems with FOS	5-1
5.2 FOS Non-Conformance Reports (Closed Status)	5-1
5.3 FOS Non-Conformance Reports (Open Status).....	5-1

Tables

4-1 COTS Software Inventory List (GSFC)	4-2
4-2 Shareware Inventory List (GSFC).....	4-6

Appendix A. Build Instructions

Appendix B. Installation Procedure

Appendix C. Special Operating Instructions

Appendix D. User Feedback Procedures

Abbreviations and Acronyms

This page intentionally left blank.

1. Introduction

1.1 Identification of Document

This is a Version Description Document (VDD) prepared using NASA-STD-2100-91 (NASA-DID-P500, NASA form DD250) as a guide. It is submitted as part of Flight Operations Segment (FOS) delivery for the Earth Observing System Data and Information System (EOSDIS) Core System (ECS), contract number NAS5-60000.

1.2 Scope of Document

This document describes the delivery contents of the FOS components including commercial off-the-shelf (COTS) software, Version 1.00 of custom FOS ECS software, and accompanying documentation.

1.3 Purpose and Objectives of Document

The purpose of this document is to describe the contents of the FOS delivery. It briefly describes the capabilities of the product, provides an inventory of the delivery, lists unresolved problems, and addresses issues such as special operating instructions, system limitations, and disclaimer notices for public domain software used in the product.

1.4 Document Status and Schedule

This VDD is submitted as a preliminary document. The preliminary version of this VDD will be used for Acceptance Testing of Release A of the FOS.

The final document is scheduled for delivery thirty days after the Release Readiness Review (RRR). Any changes to the product that require a subsequent version of this document to be released will be described in a new VDD.

1.5 Document Organization

The format and contents of this document comply with NASA-DID-P500 and NASA-DID-999 as defined in NASA-STD-2100-91.

- Introduction — Introduces the VDD scope, purpose, objectives, status, schedule and document organization.
- Related Documentation — Provides a bibliography of reference documents for the VDD organized by parent and binding subsections.
- Product Description — Describes the general capabilities and product contents.
- Inventory — Lists product inventory including COTS and custom FOS software (contents of tar file).

- Non-conformance Status — Discusses known problems with the FOS software and lists Non-conformance Reports with an open status.
- Appendices — Contain supplemental information such as: build/installation instructions, problem reporting, and public software disclaimer notices.
- Abbreviations and Acronyms — Contains an alphabetized list of the definitions for abbreviations and acronyms used in this volume.

2. Related Documentation

2.1 Parent Document

The parent documents are the documents from which the scope and content of this document is derived.

423-42-01	EOSDIS Core System Statement of Work - CN10
423-41-02	Goddard Space Flight Center, Functional and Performance Requirements Specification for the Earth Observing System Data and Information System (EOSDIS) Core System (ECS)
NASA-STD-2100-91	NASA Software Documentation Standard, Software Engineering Program

2.2 Applicable Documents

The following documents are referenced within this document, or are directly applicable, or contain policies or other directive matters that are binding upon the content of this volume.

194-207-SE1-001	System Design Specification for the ECS Project
304-CD-001-003	Flight Operations Segment (FOS) Requirement Specified for the ECS Project, Volume 1: General Requirements
305-CD-040-001	Flight Operations Segment (FOS) Design Specification for the ECS Project (Segment Level Design)
307-CD-001-003	Flight Operations Segment (FOS) Release Plan and Development Plan
329-CD-001-003	for the ECS Project

2.3 Information Documents

The following documents are referenced herein and, amplify or clarify the information presented in this document. These documents are not binding on the content of the Version Description Document.

222-TP-003-008	Release Plan Content Description for the ECS Project
320-WP-001-001	Flight Operation Segment (FOS) Commercial-off-the-Shelf (COTS) Hardware for Release A
604-CD-001-004	Operations Concept for the ECS Project: Part 1: - ECS Overview
604-CD-004-001	ECS Operations Concept for the ECS Project: Part 2, FOS
609-CD-005-001	Flight Operations Segment (FOS) Operations Tool Manual
SD-1-014	Software Nonconformance Reporting Project Instruction

This page intentionally left blank.

3. Product Description

This section describes the product capabilities of the FOS ECS software.

3.1 Product Description and General Capabilities

FOS will be deployed November 1996 at one of the Distributed Active Archive Centers (DAACs) - Goddard Space Flight Center (GSFC). It will be an incremental release of the ECS software leading to Release A.

FOS is responsible for mission operations, including the planning, scheduling, commanding, and monitoring of US EOS spacecraft and US EOS instruments onboard the US and International Partner (IP) series of spacecraft. FOS is composed of the EOS Operations Center (EOC) located at GSFC and Instrument Support Toolkit (IST) associated with the Principal Investigations (PIs) and Team Leaders (TLs).

Nine subsystems have been defined to support flight operations. Individually these subsystems perform specific, unique functions; collectively, they provide a set of interrelated services for the Flight Operations Team (FOT) and the IST user community. These subsystems are:

1. Analysis Subsystem (ANA)
2. Command Subsystem (CMD)
3. Command Management Subsystem (CMS)
4. Data Management Subsystem (DMS)
5. FOS User Interface Subsystem (FUI)
6. Planning and Scheduling Subsystem (PAS)
7. Real-Time Contact Management Subsystem (RCM)
8. Resource Management Subsystem (RMS)
9. Telemetry Subsystem (TLM)

The following sections describe the product capabilities in further detail.

3.1.1 Analysis Subsystem (ANA)

The ANA subsystem provides statistics generation, User Supplied Algorithm processing, a Decision Support System (DSS), Routine Request Processing, Carryout Data, and Clock Correlation Process. The ANA subsystem is responsible for managing the on-board systems and for the overall mission monitoring. Its functions include performance analysis and trend analysis. It also cooperates with Telemetry to support fault detection and isolation.

3.1.2 Command Subsystem (CMD)

The CMD subsystem consists of three processes: Format Command, Frame Operation Procedure (FOP) Command, and Transmit Command. Format Command receives and validates command directives. FOP Command builds command link transmission units (CLTUs) according to the Consultative Committee for Space Data Systems (CCSDS) standard. Transmit command forwards the CLTUs at a specified uplink rate. CMS is responsible for transmitting command data (i.e., Real-Time commands or command loads) to EDOS for uplink to the spacecraft during each real-time contact. Command data can be received in real-time by the operational staff or as preplanned command groups generated by Command Management. The CMD subsystem is also responsible for verifying command execution on-board the spacecraft.

3.1.3 Command Management Subsystem (CMS)

The CMS subsystem contributes a Schedule Controller process, a Command Model process, a Spacecraft Model process, a Ground Schedule process, and a Load Catalog process. CMS manages the preplanned command data for the spacecraft and instruments. Based on inputs received from Planning and Scheduling, Command Management collects and validates the commands, software memory loads, tables loads, and instrument memory loads necessary to implement the instrument and spacecraft scheduled activities.

3.1.4 Data Management Subsystem (DMS)

This subsystem provides the Project Data Base Management processes, Event Processing, Telemetry Archive Process, Ground Telemetry Archive Process, and External Interface Processes. DMS is responsible for maintaining and updating the Project Data Base (PDB) and the FOS history log.

3.1.5 FOS User Interface Subsystem (FUI)

This provides graphical user interface services for all of the FOS subsystems. FUI provides character-based and graphical display interfaces for FOS operators interacting with all of the aforementioned FOS subsystems.

3.1.6 Planning and Scheduling (PAS)

This produces a conflict-free schedule of activities for spacecraft resources. PAS integrates plans and schedules for spacecraft, instruments, and ground operations. Planning and Scheduling provides the operational staff with a common set of capabilities to perform "what-if" analyses and to visualize plans and schedules.

3.1.7 Real-Time Contact Management Subsystem (RCM)

This receives and processes messages from NCC during contact. It also sends request messages to NCC during contact. Status messages are also received and processed from EDOS during

contact. RCM is responsible for managing the real-time interface with the NCC and EDOS, as well as with the DSN station, as applicable.

3.1.8 Resource Management Subsystem (RMS)

This provides multiple operators access to the same data stream. It also ensures a single point of command for a specific spacecraft. RMS provides the capability to manage and monitor the configuration of the EOC. This includes configuring the EOC resources for multi-mission support; facilitating operational failure recovery during real-time contacts.

3.1.9 Telemetry Subsystem (TLM)

This provides telemetry decommutation. It also provides for memory dump and spacecraft state checks. TLM receives and processes housekeeping telemetry (in CCSDS packets) from EDOS. After the packet decommutation, the telemetry data is converted to engineering units and checked against boundary limits.

This page intentionally left blank.

4. Product Inventory

Delivery of FOS consists of commercial-off-the shelf (COTS) software, shareware software and custom ECS software. This section provides details of these components.

4.1 Inventory of Materials

4.1.1 Documentation

The document provided with this release is:

Document Number: 320-WP-001-001

Title: Flight Operation Segment (FOS) Commercial-off-the-Shelf (COTS)
Hardware for Release A

Delivery Source: Hardcopy, WEB

Summary: This document includes descriptions of the hardware, network diagrams, and COTS

4.1.2 Archive Tapes

The following magnetic tape is used to archive the delivered baseline configuration of the developed software.

904-PR- PR-025-001

Label: FOS_v1.0_111196 Distribution Date: November 11, 1996

>>> 5.0gbyte format (high density) <<<

FOS_v1.0_111196.tar

All documents (VDD and User's Guide)

Command to untar tar tape: tar xvf ##

Command to untar tar file: tar xvf file.tar

where ## = your tape device and file.tar = Name you give tar file

4.1.3 Utility and Support Software

The Utility and Support Software are included as part of the FOS Custom Software (refer to section 4.2.1).

4.1.4 COTS Software Inventory

FOS uses the existing Version 0 Wide Area Network (WAN) to transport data between sites. It uses the existing Version 0 LAN infrastructure to support local networking at the GSFC DAAC.

Table 4-1 summarizes the deployed COTS software at GSFC. Refer to *Flight Operation Segment (FOS) Commercial-off-the-Shelf (COTS) Hardware for Release A* (320-WP-001-001) for the physical mapping of FOS Release A COTS hardware to COTS software.

Table 4-1. COTS Software Inventory List (GSFC)

Identification:	Component Description	Version	Patches	Vendor	Part Number
CSS-EOC-1 (CSS Server)	HP-UX Revision for 9.0	-	-	HP	A4030B OPT#APH
	C++ Softbench	3.2	-	HP	B2617B
	C++ Softbench End Users Kit	3.2	-	HP	B2620B
	C++ Softbench CD Certificate	3.2	-	HP	B2620B OPT# AAU
	HP-UX CD-ROM Media	-	-	HP	B2826B
	HP-UX Software on Disk	-	-	HP	B2826B OPT#AAF
	C++ Class Library LTU	-	-	HP	B2914AA
	Version of DCE	9.0	-	HP	B2920A OPT#APH
	Applications Development	9.0	-	HP	B2922BA
	HP-UX 9.0 Version of DCE	-	-	HP	B2922BA OPT#APH
	Runtime Instant Ignition	-	-	HP	B3945AA
	English Localization	-	-	HP	B3945AA OPT#ABA
	Revised for HP-UX 9.0	-	-	HP	B3945AA OPT#APH
	Driver for EISA	8.x, 9.x, & 10	-	HP	WA-C285
	C++ Softbench Hard Copy Manuals	-	-	HP	B2620B OPT#OB1
CSS-EOC-1 (CSS Server)	DCE Client License	1.1	-	HP	B2923A
	DCE CDS Server	1.1	-	HP	B2924A
	DCE Security Server	1.1	-	HP	B2925A
	X/Motif	-	-	-	-
	ClearCase Client 2.1	2.1	patch 2.1-127	-	-
	ClearCase Client 2.1	2.1	patch 2.1-109	-	-
	ClearCase Client 2.1	2.1	patch 2.1-141	-	-
	DCE Client	1.0.3 (a)	-	-	-
	Tivoli Client	-	-	-	-
	Netscape Browser	2.02	-	-	-
	/usr/local/rogue61/net.h++	1.0.1	-	-	-
	/usr/local/rogue61/tools.h++	6.1	-	-	-
	/usr/local/rogue61/dbtools.h++	1.1	-	-	-
ISS-EOC-1 (Internetworking Equipment)	Firmware	1.07.05	-	CBL	2162059
FOS-EOC-2 (RAID File Server)	Digital UNIX Operating System	3.2	-	DEC	QA-MT4AA-H
	DEC Storage Works Library	-	-	DEC	QA-054AA-C
	Network Applications Support	-	-	DEC	QL-306AE-AA
	OSF/Motif Base Software	1.2.3	-	DEC	QL-MT4AE-6R

	OSF/Motif USR Digital Unix, 8 user	n/a	n/a	DEC	QL-MT7AM-3E
--	------------------------------------	-----	-----	-----	-------------

Table 4-1. COTS Software Inventory List (GSFC) cont.

Identification:	Component Description	Version	Patches	Vendor	Part Number
	UNIX SF LIN on CD-ROM	n/a	n/a	DEC	QT-054AA-C
	Jukebox Tier 1	n/a	n/a	DEC	QL-04VAL-3B
	DCE Client	1.0.3 (a)	-	-	-
	Media & Documentation	n/a	n/a	DEC	QT-MT4AA-E
CSS-EOC-4	Firmware version 5.6	5.6	-	Advanced Computer Concepts	FIRM
	Micro Plex Ethernet Print Server	1.2	-	Advanced Computer Concepts	PRINT SERVER
FOS-EOC-5 (FOT User Station)	DCE for Solaris 2.4	1.0.3a		SUN	BASE-SVC
	X/Motif				
	RogueWave libraries	6.1			
	Kerberos	5b5		Cygnus	
	Sybase Client	10.02			
	Netscape Browser	2.02			
	Npassword	1.2.4			
	TCP Wrappers	7.3			
	Tripwire	1.2			
FOS-EOC-2 (Real Time Server)	IDL	4.0	-	DEC	IDL
	Digital UNIX Alpha Lib	3.0a	-	DEC	QA-065AA-H8
	DEC Fuse For OSF-1	-	-	DEC	QL-092AM-3B
	DEC Fuse For OSF-1	-	-	DEC	QL-094AM-3B
	Network Application Support	-	-	DEC	QL-306AE-AA
	OSF/Motif Base Software	-	-	DEC	QL-MT4AE-6R
	DEC OSF-1 AXP Developers Ext.	-	-	DEC	QL-MT5AE-AA
	OSF/Motif USR Digital Unix, 8 user	n/a	n/a	DEC	QL-MT7AM-3E
	DEC C++ For U/A	1.3B	-	DEC	QL-MTRAE-AA
	RogueWave libraries	6.1	-	-	-
	Sybase SQL Server	10.0.2	-	-	-
	Sybase Open Client/C	10.0.2	-	-	-
	Sybase Embedded SQL/C	10.0.2	-	-	-
	IMSL/C	2.0	-	-	-
	Kerberos 5B5	-	-	-	-
	DCE Client	1.0.3 (a)	-	-	-
	Npassword	1.2.4	-	-	-
	TCP Wrappers	7.3	-	-	-
	Tripwire	1.2	-	-	-

Table 4-1. COTS Software Inventory List (GSFC) cont.

Identification:	Component Description	Version	Patches	Vendor	Part Number
FOS-EOC-7 (Data Server)	Digital OS	-	-	DEC	QA-054AA-H8
	DEC Fuse For OSF-1	-	-	DEC	QL-092AM-3B
	DEC Fuse For OSF-1	-	-	DEC	QL-094AM-3B
	Network Application Support	-	-	DEC	QL-306AE-AA
	OSF/Motif Base Software	-	-	DEC	QL-MT4AE-6R
	DEC OSF-1 AXP Developers Ext.	-	-	DEC	QL-MT5AE-AA
	OSF/Motif USR Digital Unix, 8 user	n/a	n/a	DEC	QL-MT7AM-3E
	DEC C++ For U/A	1.3B	-	DEC	QL-MTRAE-AA
	RogueWave libraries	6.1	-	-	-
	Sybase SQL Server	10.0.2	-	-	-
	Sybase Open Client/C	10.0.2	-	-	-
	Sybase Embedded SQL/C	10.0.2	-	-	-
	IMSL/C	2.0	-	-	-
	DCE Client	1.0.3 (a)	-	-	-
FOS-EOC-8 (FOT User Station)	DCE for Solaris 2.4	1.0.3a		SUN	BASE-SVC
	X/Motif				
	RogueWave libraries	6.1			
	Sybase Client	10.02			
	Netscape Browser	2.02			
FOS-EOC-9 (FOT User Station)	DCE for Solaris 2.4	1.0.3a		SUN	BASE-SVC
	X/Motif				
	RogueWave libraries	6.1			
	Sybase Client	10.02			
	Netscape Browser	2.02			
	RTie (SSR & Activity log)	3.5	-	-	-
	RT Server	3.5	-	-	-
FOS-EOC-10 (FOT User Station)	C++ Products Media, Documentation	2.1	-	SUN	VWSCPL-P
	Visual Workshop Slimkit	2.1	-	SUN	VWSCPL-S
	DCE for Solaris 2.4	1.0.3a		SUN	BASE-SVC
	X/Motif				
	RogueWave libraries	6.1			
	Sybase Client	10.02			
	Netscape Browser	2.02			
	RTie (Expert Advisor)	3.5	-	-	-
	RT Server	3.5	-	-	-
	RThci	3.5	-	-	-

Table 4-1. COTS Software Inventory List (GSFC) cont.

Identification:	Component Description	Version	Patches	Vendor	Part Number
FOS-EOC-11 (Console Manager)	Unix Software library LPS CD-ROM	-	-	DEC	QA-054AA-HA
	Open 3D	-	-	DEC	QL-0AFAE-AA
	Multimedia Services RT-DEC OSF-1	-	-	DEC	QL-20YA9-AA
	PCM Documentation Kit	-	-	DEC	QA-MU1AA-G
	PCM Documentation Kit	-	-	DEC	QA-OLWAF-H
	OSF-BASE	-	-	DEC	QL-MT4AE-6X
FOS-EOC-12 (Console Manager)	Open 3D	-	-	DEC	QL-0AFAE-AA
	Multimedia Services RT-DEC OSF-1	-	-	DEC	QL-20YA9-AA
FOS-EOC-12 Time Gateway (Operation and Technical Manual	-	-	CMA	TS2000
MSS-EOC-2 Management Subsystem Workstation	WABI	2.1	-	SUN	724-2120-01
	SPARCCompiler C	3.0.1	-	SUN	CC-S
	SPARCCompiler C++	4.0.1	-	SUN	CPL-S
	SPARCWorks	3.0.1	-	SUN	SCC-P
	Solaris Operating System	2.4	-	SUN	SOL
	Solaris Media	2.4	-	SUN	SOLD-C
	DCE for Solaris 2.4	1.0.3a	-	SUN	BASE-SVC
	RogueWave 6.1 Libraries				
	ClearCase Server & Client	2.1	2.0.3-119	Atria	
			2.0.3-101	Atria	
			2.0.3-139	Atria	
	Tivoli Client				
	Netscape Browser	2.02			
	DDTS	3.1.12			
	XRP II	v3.0			
MSS-EOC-3 Management Subsystem Server	WABI	2.1	-	SUN	724-2120-01
	SPARCCompiler C	3.0.1	-	SUN	CC-S
	SPARCCompiler C++	4.0.1	-	SUN	CPL-S
	SPARCWorks	3.0.1	-	SUN	SCC-P
	Solaris Operating System	2.4	-	SUN	SOL
	Solaris Media	2.4	-	SUN	SOLD-C
	DCE for Solaris 2.4	1.0.3a	-	SUN	BASE-SVC
	X/Motif				
	RogueWave 6.1 Libraries				
	ClearCase Server & Client	2.1	2.0.3-119	Atria	
			2.0.3-101	Atria	
			2.0.3-139	Atria	
	Tivoli Client				
	Netscape Browser	2.02			

Table 4-1. COTS Software Inventory List (GSFC) cont.

Identification:	Component Description	Version	Patches	Vendor	Part Number
	DDTS	3.1.12			
	XRP II	v3.0			

4.1.5 Shareware Inventory

Table 4-2 summarizes the deployed Shareware at GSFC EOC. Refer to *Flight Operation Segment (FOS) Commercial-off-the-Shelf (COTS) Hardware for Release A* (320-WP-001-001) for the physical mapping of FOS Release A COTS hardware to shareware.

4-2. Shareware Inventory List (GSFC)

Identification:	Component Description	Version	Patches	Vendor	Part Number
CSS-EOC-1 (CSS Server)	Npassword	1.2.4	-	-	-
	TCP Wrappers	7.3	-	-	-
	Tripwire	1.2	-	-	-
FOS-EOC-2 (RAID File Server)	Kerberos 5B5	-	-	-	-
	Npassword	1.2.4	-	-	-
	TCP Wrappers	7.3	-	-	-
	Tripwire	1.2	-	-	-
FOS-EOC-7 (Data Server)	Kerberos 5B5	-	-	-	-
	Npassword	1.2.4	-	-	-
	TCP Wrappers	7.3	-	-	-
	Tripwire	1.2	-	-	-
FOS-EOC-8 (FOT User Station)	Kerberos	5b5		Cygnus	
	Npassword	1.2.4			
	TCP Wrappers	7.3			
	Tripwire	1.2			
	NCSA httpd Server	1.5.1	-	-	-
FOS-EOC-9 (FOT User Station)	Kerberos	5b5		Cygnus	
	Npassword	1.2.4			
	TCP Wrappers	7.3			
	Tripwire	1.2			

FOS-EOC-10 (FOT User Station)	Kerberos	5b5		Cygnus	
	Npassword	1.2.4			
	TCP Wrappers	7.3			
	Tripwire	1.2			
FOS-EOC-11(Console Manager)	Kerberos	5B5			
	Npassword	1.2.4			
	TCP Wrappers	7.3			
	Tripwire	1.2			

4-2. Shareware Inventory List (GSFC) cont.

Identification:	Component Description	Version	Patches	Vendor	Part Number
FOS-EOC-12 (Console Manager)	Kerberos	5B5			
	Npassword	1.2.4			
	TCP Wrappers	7.3			
	Tripwire	1.2			
MSS-EOC-2 Management Subsystem Workstation	Crack	4.1			
	Satan	1.1.1			
	Npassword	1.2.4			
	TCP Wrappers	7.3			
	Tripwire	1.2			
MSS-EOC-3 Management Subsystem Server	Crack	4.1			
	Satan	1.1.1			
	Npassword	1.2.4			
	TCP Wrappers	7.3			
	Tripwire	1.2			

4.2 FOS Custom Software

FOS custom software consists of a number of components. Ten subsystems are required to make a complete FOS build. The software is available for the following architectures:

- DEC
OSF 3.2
- SUN
Sun Solaris 2.4

A file listing maybe generated from the delivered tar file using the tar -tvf command.

4.2.1 FOS Custom Software Version 1.00 Tar File Listing

The following listing provides the files generated by the build process and the installation process. All of the run time executables are located in the /fos/test/am1/bin area. For the SUN platform the executables are located in the sun_sparc_5-4 subdirectory to /bin (e.g., the DynamicPage executable is located at /fos/test/am1/bin/sun_sparc_5-4).

```
drwxrwxr-x 10 vobadm      8192 Nov  8 15:34 bin
drwxrwxr-x  2 vobadm      8192 Nov 11 14:53 config
```

drwxrwxr-x	6	vobadm	8192	Nov	11	13:56	data
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	datasets
drwxrwxr-x	3	vobadm	16384	Nov	8	16:03	db
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	dbinit
drwxrwxr-x	4	vobadm	8192	Nov	8	15:34	displaydefs
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	dumps
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	edos
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	events
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	fdf
drwxrwxr-x	6	vobadm	8192	Nov	8	15:34	groundsched
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	helpdocs
drwxrwxr-x	3	vobadm	8192	Nov	8	15:34	loadcatalog
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	loadcontents
drwxrwxr-x	7	vobadm	8192	Nov	8	15:34	loads
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	ltip
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	ltsp
drwxrwxr-x	6	vobadm	8192	Nov	11	14:39	odf
drwxrwxr-x	6	vobadm	8192	Nov	8	15:54	pdb
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	procs
drwxrwxr-x	3	vobadm	8192	Nov	8	15:34	reports
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	requestfiles
drwxrwxr-x	2	vobadm	8192	Nov	8	16:05	res
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	results
drwxrwxr-x	2	vobadm	8192	Nov	11	14:55	roomdefs
drwxrwxr-x	3	vobadm	8192	Nov	8	15:34	schedcontr
drwxrwxr-x	3	vobadm	8192	Nov	8	15:34	scripts
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	statistics
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	tlmarchive

bin:

total 64

drwxrwxr-x	2	vobadm	8192	Nov	11	14:50	dec_osf_3-2
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	dec_osf_4-0
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	hp_ux_10-01
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	hp_ux_10-10
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	hp_ux_9-05
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	sgi_irix32_5-3
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	sgi_irix64_6-2
drwxrwxr-x	2	vobadm	8192	Nov	11	14:53	sun_sparc_5-4

bin/dec_osf_3-2:

total 196964

-rwxrwx---	1	vobadm	3129344	Nov	8	12:57	EC
-rwxrwx---	1	vobadm	3342336	Nov	6	16:39	FcCdFormat
-rwxrwx---	1	vobadm	2547712	Oct	21	20:17	FcCmFop
-rwxrwx---	1	vobadm	2875392	Oct	21	20:11	FcCmXmit
-rwxr-x---	1	vobadm	6193152	Oct	19	01:35	FdEvEventHandler
-rwxrwx---	1	vobadm	2482176	Oct	21	21:07	FgEiEdosIn
-rwxrwx---	1	vobadm	2514944	Oct	21	21:09	FgEoEdosOut
-rwxrwx---	1	vobadm	3661824	Oct	21	21:04	FgGmNccGroundMgr
-rwxrwx---	1	vobadm	2949120	Oct	21	20:58	FgSmNccStatusMgr
-rwxrwx---	1	vobadm	3661824	Oct	21	21:54	FmGsGroundSchedule
-rwxrwx---	1	vobadm	4661248	Oct	21	22:01	FmLdAM1LoadCatalog
-rwxrwx---	1	vobadm	4562944	Oct	21	22:05	FmScAM1ScheduleController
-rwxrwx---	1	vobadm	5308416	Oct	21	13:24	FoNsNameServer
-rwxrwx---	1	vobadm	2334720	Oct	21	13:30	FoPsParameterServer
-rwxrwx---	1	vobadm	10420224	Oct	25	16:08	FpAdActivityDefiner

-rwxrwx---	1	vobadm	9691136	Oct	25	16:10	FpBdBapDefiner
-rwxrwx---	1	vobadm	3989504	Oct	25	16:18	FpEhEventHandler
-rwxrwx---	1	vobadm	5488640	Oct	25	16:21	FpFsAsterFilter
-rwxrwx---	1	vobadm	10010624	Oct	25	16:23	FpGsGeneralScheduler
-rwxrwx---	1	vobadm	8003584	Oct	25	16:27	FpLgLoadGenerator
-rwxrwx---	1	vobadm	7774208	Oct	25	16:33	FpLqLoadQueuer
-rwxrwx---	1	vobadm	5890048	Oct	22	05:13	FpNsNameServer
-rwxrwx---	1	vobadm	6225920	Oct	25	16:39	FpRmResourceModel
-rwxrwx---	1	vobadm	10575872	Oct	25	16:46	FpTlTimeline
-rwxrwx---	1	vobadm	5152768	Oct	21	20:48	FrGrStringMgr
-rwxrwx---	1	vobadm	2154496	Oct	21	20:24	FrRpRepeater
-rwxrwx---	1	vobadm	3465216	Oct	21	14:47	FtDcDecom
-rwxrwx---	1	vobadm	10547536	Nov	8	13:04	FuGsGroundScriptControl
-rwxrwx---	1	vobadm	7421952	Nov	8	13:07	FuLbTableLoadBuilder
-rwxrwx---	1	vobadm	15196032	Nov	8	13:19	FuPbProcBuilderWin
-rwxrwxr-x	1	vobadm	13869056	Oct	18	10:57	FuPcProcController
-rwxrwx---	1	vobadm	5734400	Nov	8	13:26	FuRbRoomBuilder
-rwxrwx---	1	vobadm	36864	Nov	8	12:58	evtdis.uid
-rwxrwxr-x	1	vobadm	7569408	Oct	14	16:55	ncc

bin/dec_osf_4-0:
total 0

bin/hp_ux_10-01:
total 0

bin/hp_ux_10-10:
total 0

bin/hp_ux_9-05:
total 0

bin/sgi_irix32_5-3:
total 0

bin/sgi_irix64_6-2:
total 0

bin/sun_sparc_5-4:
total 193817

-rwxrwx---	1	vobadm	1415272	Oct	17	21:25	A2tlm
-rwxrwx---	1	vobadm	5802096	Nov	11	13:01	CmdControl
-rwxrwx---	1	vobadm	1560528	Oct	22	18:57	CreateRTS
-rwxrwx---	1	vobadm	327600	Oct	24	12:56	CreateTlmCmdFilterKeys
-rwxrwx---	1	vobadm	1071776	Oct	22	18:58	DeleteRTS
-rwxrwx---	1	vobadm	5784332	Nov	11	13:01	DisplayBuilder
-rwxrwx---	1	vobadm	230	Oct	29	10:38	DisplayBuilder.ini
-rwxrwx---	1	vobadm	4214664	Nov	11	13:01	DynamicPage
-rwxrwx---	1	vobadm	1947504	Nov	7	11:22	EC
-rwxrwx---	1	vobadm	2151084	Nov	6	11:13	FaAcCruncher
-rwxrwx---	1	vobadm	857996	Nov	6	13:50	FaDrReaderDriver
-rwxrwx---	1	vobadm	1645932	Nov	6	11:24	FaRmRequestManager
-rwxrwx---	1	vobadm	1789216	Nov	6	11:17	FaRtDServer
-rwxrwx---	1	vobadm	1988500	Oct	18	01:49	FcCdFormat
-rwxrwx---	1	vobadm	1399560	Oct	18	01:45	FcCmFop
-rwxrwx---	1	vobadm	1576712	Oct	18	01:38	FcCmXmit
-rwxrwx---	1	vobadm	1487008	Oct	18	01:27	FdArTlmArchiver

-rwxrwx---	1	vobadm	1080208	Oct	18	01:03	FdDbBuildAnlOdf
-rwxrwx---	1	vobadm	1314596	Nov	6	10:49	FdDbBuildCmsOdf
-rwxrwx---	1	vobadm	1144812	Oct	18	01:23	FdDbBuildEventOdf
-rwxrwx---	1	vobadm	1316400	Oct	18	01:24	FdDbBuildFuiCmdOdf
-rwxrwx---	1	vobadm	1382852	Oct	18	01:33	FdDbBuildFuiOdf
-rwxrwx---	1	vobadm	1271920	Oct	18	01:25	FdDbBuildNccOdf
-rwxrwx---	1	vobadm	1283292	Oct	18	01:35	FdDbBuildPidsOdf
-rwxrwx---	1	vobadm	1788392	Oct	18	01:06	FdDbBuildSysOdf
-rwxrwx---	1	vobadm	2916784	Oct	18	01:31	FdDbBuildTlmOdf
-rwxrwx---	1	vobadm	2076896	Oct	18	01:00	FdDbEventDbSrv
-rwxrwx---	1	vobadm	1271668	Oct	18	01:13	FdDbEvtDefWebDbClient
-rwxrwx---	1	vobadm	2011336	Oct	18	01:29	FdDbFileMetaServer
-rwxrwx---	1	vobadm	1400900	Oct	18	01:15	FdDbFormEvtWebDbClient
-rwxrwx---	1	vobadm	1262984	Oct	18	00:54	FdDbGroundParamWebClient
-rwxrwx---	1	vobadm	2125512	Oct	18	01:11	FdDbLoadCatSrv
-rwxrwx---	1	vobadm	1290124	Oct	18	00:53	FdDbNameServerWebClient
-rwxrwx---	1	vobadm	1988020	Oct	18	00:48	FdDbOdfTable
-rwxrwx---	1	vobadm	1870260	Oct	18	00:50	FdDbOrbEvtWebClient
-rwxrwx---	1	vobadm	2037468	Oct	18	00:52	FdDbOrbitEventServer
-rwxrwx---	1	vobadm	2119984	Oct	18	01:09	FdDbTableDefSrv
-rwxrwx---	1	vobadm	1932720	Oct	18	01:21	FdDbTlmCataServer
-rwxrwx---	1	vobadm	1462480	Oct	18	01:02	FdEvEventArchiver
-rwxr-xr-x	1	vobadm	1186024	Oct	19	15:30	FdEvEventDriver
-rwxrwx---	1	vobadm	1140200	Oct	18	00:56	FdEvEventHandler
-rwxrwx---	1	vobadm	1092920	Oct	18	00:57	FdEvEventRouter
-rwxrwx---	1	vobadm	2296696	Oct	18	01:17	FdQmQueueMgr
-rwxrwx---	1	vobadm	1325072	Oct	18	02:26	FgEiEdosIn
-rwxrwx---	1	vobadm	1353840	Oct	18	02:28	FgEoEdosOut
-rwxrwx---	1	vobadm	2079868	Oct	18	02:24	FgGmNccGroundMgr
-rwxrwx---	1	vobadm	1610852	Oct	18	02:18	FgSmNccStatusMgr
-rwxrwx---	1	vobadm	2284868	Oct	22	18:46	FmGsGroundSchedule
-rwxrwx---	1	vobadm	3094392	Oct	22	18:51	FmLdAM1LoadCatalog
-rwxrwx---	1	vobadm	1755844	Oct	22	19:00	FmPcTest
-rwxrwx---	1	vobadm	3110540	Oct	22	18:55	FmScAM1ScheduleController
-rwxrwx---	1	vobadm	1920608	Oct	17	18:16	FoNsNameServer
-rwxrwx---	1	vobadm	1204996	Oct	17	18:21	FoPsParameterServer
-rwxrwx---	1	vobadm	6903536	Oct	21	12:20	FpAdActivityDefiner
-rwxrwx---	1	vobadm	5893248	Oct	21	12:23	FpBdBapDefiner
-rwxrwx---	1	vobadm	2399752	Oct	21	12:31	FpEhEventHandler
-rwxrwx---	1	vobadm	4902160	Oct	21	12:33	FpFsAsterFilter
-rwxrwx---	1	vobadm	6394848	Oct	21	12:37	FpGsGeneralScheduler
-rwxrwx---	1	vobadm	4008416	Oct	21	12:39	FpLgLoadGenerator
-rwxrwx---	1	vobadm	6323028	Oct	21	12:46	FpLqLoadQueuer
-rwxrwx---	1	vobadm	2353576	Oct	19	00:24	FpNsNameServer
-rwxrwx---	1	vobadm	5737980	Oct	21	12:55	FpRmResourceModel
-rwxrwx---	1	vobadm	6952856	Oct	21	13:00	FpTlTimeline
-rwxrwx---	1	vobadm	3365032	Oct	18	02:09	FrGrStringMgr
-rwxrwx---	1	vobadm	1039972	Oct	18	01:52	FrRpRepeater
-rwxrwx---	1	vobadm	2032644	Oct	17	21:19	FtDcDecom
-rwxrwx---	1	vobadm	3742140	Nov	11	13:01	FuAnBuild
-rwxrwx---	1	vobadm	1547980	Nov	7	10:23	FuAnHandler
-rwxrwx---	1	vobadm	1795552	Nov	7	11:30	FuEvEvtDis
-rwxrwx---	1	vobadm	4208432	Nov	7	11:35	FuGsGroundScriptControl
-rwxrwx---	1	vobadm	2772064	Nov	7	11:42	FuLbTableLoadBuilder
-rwxrwx---	1	vobadm	2528436	Nov	7	11:45	FuLmLoadManager
-rwxrwx---	1	vobadm	3784756	Nov	7	11:50	FuPbProcBuilderWin
-rwxrwx---	1	vobadm	3254568	Nov	7	11:52	FuPcProcController

```

-rwxrwx--- 1 vobadm 1321000 Nov 7 11:55 FuRbRoomBuilder
-rwxrwxr-x 1 vobadm 3447604 Nov 2 14:15 FuTsdriver
-rwxrwx--- 1 vobadm 4965116 Nov 11 13:01 RegCtrlWin
-rwxrwx--- 1 vobadm 1381044 Oct 18 01:19 TlmRetriever
-rwxrwx--- 1 vobadm 32768 Nov 7 11:30 evtdis.uid
-rwxr-xr-x 1 vobadm 2237568 Oct 14 09:18 ncc
-rwxrwx--- 1 vobadm 1784752 Nov 7 11:13 writeDefs
-rwxrwx--- 1 vobadm 1177892 Nov 7 11:16 writePms
-rwxrwx--- 1 vobadm 1153292 Oct 29 16:14 writeRoom

```

config:

total 13321

```

-rw-rw-r-- 1 vobadm 45 Nov 11 09:16 NccConfig.data
-rwxrwxr-x 1 vobadm 147999 Nov 8 17:18 act.db
-rwxrwx--- 1 vobadm 193 Jul 11 14:31 alloc.db
-rwxrwx--- 1 vobadm 311 Jul 24 17:32 asteract.db
-rwxrwx--- 1 vobadm 0 Jul 11 14:34 bap.db
-rwxrwx--- 1 vobadm 141 Jul 11 14:31 cmdproc.db
-rw-rw-r-- 1 vobadm 287871 Oct 30 13:41 command.db
-rwxrwx--- 1 vobadm 6488064 Oct 22 06:53 createCmdActs
-rwxrwx--- 1 vobadm 6479872 Oct 22 06:49 createCmds
-rwxrwx--- 1 vobadm 195 Oct 23 17:27 data.db
-rwxrwx--- 1 vobadm 1387 Sep 29 18:01 etlConfig.db
-rwxrwx--- 1 vobadm 161 Jul 11 14:32 event.db
-rwxrwx--- 1 vobadm 103 Oct 23 11:38 gchw.db
-rwxrwx--- 1 vobadm 111 Oct 23 11:36 gcuser.db
-rwxrwx--- 1 vobadm 103 Oct 23 11:31 hw.db
-rwxrwx--- 1 vobadm 5429 Jul 11 14:32 mode.db
-rwxrwx--- 1 vobadm 305 Jul 11 14:32 orb.aos.db
-rwxrwx--- 1 vobadm 305 Jul 11 14:32 orb.los.db
-rwxrwx--- 1 vobadm 312 Jul 11 14:32 orb.sunrise.db
-rwxrwx--- 1 vobadm 312 Jul 11 14:32 orb.sunset.db
-rwxrwx--- 1 vobadm 729 Jul 11 14:32 plan.db
-rwxrwx--- 1 vobadm 7413 Sep 20 14:41 rconn.db
-rwxrwx--- 1 vobadm 11984 Jul 11 14:33 rs.db
-rwxrwx--- 1 vobadm 6212 Jul 11 14:33 srs.db
-rwxrwx--- 1 vobadm 1193 Jul 11 14:33 srsconn.db
-rwxrwx--- 1 vobadm 264 Oct 29 10:36 st_cmdActs
-rwxrwx--- 1 vobadm 200 Oct 29 10:36 st_cmds
-rwxrwx--- 1 vobadm 100167 Jul 11 14:33 state.db
-rwxrwx--- 1 vobadm 111 Oct 23 11:29 user.db

```

data:

total 46

```

drwxrwxr-x 2 vobadm 8192 Nov 8 15:34 ANA
drwxrwxr-x 2 vobadm 8192 Nov 8 15:34 DMS
drwxrwxr-x 3 vobadm 8192 Nov 8 15:34 FUI
drwxrwxr-x 2 vobadm 8192 Nov 8 16:05 PAS
-rwxrwx--- 1 vobadm 40 Aug 29 15:13 event.dat
-rwxrwx--- 1 vobadm 1241 Oct 10 12:56 evtfilter.fdl
-rwxrwx--- 1 vobadm 735 Oct 25 10:59 fose10oe.fos-services
-rwxrwx--- 1 vobadm 732 Oct 25 10:59 fose5oe.fos-services
-rwxrwx--- 1 vobadm 732 Oct 25 11:00 fose8oe.fos-services
-rwxrwx--- 1 vobadm 738 Oct 25 11:00 fose9oe.fos-services
-rwxrwx--- 1 vobadm 732 Oct 25 11:01 foseoc6.fos-services
-rwxrwx--- 1 vobadm 732 Oct 25 11:01 foseoc7.fos-services
-rwxrwx--- 1 vobadm 732 Oct 25 11:02 msse4of.fos-services

```

```

-rwxrwx--- 1 vobadm      732 Oct 25 11:02 msseoc2.fos-services
-rwxrwx--- 1 vobadm     394 May  7 1996 orbitEventB.dat
-rwxrwx--- 1 vobadm     291 May 31 11:16 sc.dat
-rwxrwx--- 1 vobadm      72 Oct 31 16:25 subsys.dat

data/ANA:
total 0

data/DMS:
total 0

data/FUI:
total 8
drwxrwxr-x 2 vobadm      8192 Nov  8 15:34 requests

data/FUI/requests:
total 0

data/PAS:
total 7
-rwxrwx--- 1 vobadm     337 Jul 24 19:27 ASTER_ODA_1999165007.txt
-rwxrwx--- 1 vobadm     337 Jul 24 19:27 ASTER_ODS_1999165005.txt
-rwxrwx--- 1 vobadm     304 Jul 24 19:27 ASTER_ODS_1999165006.txt
-rwxrwx--- 1 vobadm     337 Jul 24 19:27 ASTER_STA_1999165004.txt
-rwxrwx--- 1 vobadm     337 Jul 24 19:27 ASTER_STS_1999165002.txt
-rwxrwx--- 1 vobadm     304 Jul 24 19:27 ASTER_STS_1999165003.txt
-rwxrwx--- 1 vobadm     112 Jul 24 19:03 ASTER_STS_1999165009.txt

datasets:
total 0

db:
total 868
-rwxrwx--- 1 vobadm    5791 Aug  1 16:38 bcp_cmd_pdb.script
-rwxrwx--- 1 vobadm     731 Oct 11 11:47 bcp_events_in.script
-rwxrwx--- 1 vobadm     686 Oct 11 11:47 bcp_events_out.script
-rwxrwx--- 1 vobadm     871 Oct 11 11:46 bcp_pids_in.script
-rwxrwx--- 1 vobadm     816 Oct 11 11:47 bcp_pids_out.script
-rwxrwx--- 1 vobadm   8000 Jul 25 10:53 bcp_tlm_pdb.script
-rwxrwx--- 1 vobadm   5163 Jul 25 10:53 cmd_desc_ins.trig
-rwxrwx--- 1 vobadm     943 Jul 25 10:53 cmd_desc_pdb.sql
-rwxrwx--- 1 vobadm   1915 Jul 25 10:53 cmd_errmsg.sql
-rwxrwx--- 1 vobadm   6285 Jul 23 11:08 cmd_fixdata_ins.trig
-rwxrwx--- 1 vobadm   1006 Jul 25 10:53 cmd_fixdata_pdb.sql
-rwxrwx--- 1 vobadm   6595 Jul 25 10:54 cmd_flddef_ins.trig
-rwxrwx--- 1 vobadm   1154 Jul 25 10:54 cmd_flddef_pdb.sql
-rwxrwx--- 1 vobadm     898 Jul 25 10:54 cmd_mmask_pdb.sql
-rwxrwx--- 1 vobadm   8378 Jul 25 10:54 cmd_parm_ins.trig
-rwxrwx--- 1 vobadm   1038 Jul 25 10:54 cmd_parm_pdb.sql
-rwxrwx--- 1 vobadm   6263 Jul 25 10:54 cmd_pstate_ins.trig
-rwxrwx--- 1 vobadm   1057 Jul 25 10:54 cmd_pstate_pdb.sql
-rwxrwx--- 1 vobadm   4412 Jul 25 10:54 cmd_tbldef_ins.trig
-rwxrwx--- 1 vobadm     998 Jul 23 14:32 cmd_tbldef_pdb.sql
-rwxrwx--- 1 vobadm     698 Jul 25 10:54 cmd_type_cfx.sql
-rwxrwx--- 1 vobadm   1386 Jul 25 10:54 cmd_type_data.sql
-rwxrwx--- 1 vobadm     713 Jul 25 10:54 cmd_user_auth.sql
-rwxrwx--- 1 vobadm     838 Jul 25 10:54 cmd_user_auth_data.sql

```

-rwxrwx---	1	vobadm	731	Jul	25	10:54	cmd_ustat_auth.sql
-rwxrwx---	1	vobadm	960	Jul	25	10:54	cmd_ustat_auth_data.sql
-rwxrwx---	1	vobadm	808	Jul	25	10:54	cmd_val_log.sql
-rwxrwx---	1	vobadm	6668	Jul	25	10:55	cmd_vardata_ins.trig
-rwxrwx---	1	vobadm	1785	Jul	25	10:55	cmd_vardata_pdb.sql
-rwxrwx---	1	vobadm	6480	Jul	25	10:55	cmd_verify_ins.trig
-rwxrwx---	1	vobadm	1100	Jul	25	10:55	cmd_verify_pdb.sql
-rwxrwx---	1	vobadm	1665	Jul	25	10:55	const_type_data.sql
-rwxrwx---	1	vobadm	656	Jul	25	10:55	const_type_tfx.sql
-rwxrwx---	1	vobadm	1358	Jul	25	10:55	conv_type_data.sql
-rwxrwx---	1	vobadm	681	Jul	25	10:55	conv_type_tfx.sql
-rwxrwx---	1	vobadm	692	Jul	25	10:55	cre_cmd_cfx.script
-rwxrwx---	1	vobadm	796	Jul	25	10:55	cre_cmd_cfx.sql
-rwxrwx---	1	vobadm	719	Jul	25	10:55	cre_cmd_procs.script
-rwxrwx---	1	vobadm	887	Jul	30	16:55	cre_cmd_procs.sql
-rwxrwx---	1	vobadm	688	Jul	25	10:55	cre_cmd_trigs.script
-rwxrwx---	1	vobadm	810	Jul	25	10:55	cre_cmd_trigs.sql
-rwxrwx---	1	vobadm	711	Jul	25	10:55	cre_tlm_procs.script
-rwxrwx---	1	vobadm	1023	Jul	30	16:56	cre_tlm_procs.sql
-rwxrwx---	1	vobadm	695	Jul	25	10:55	cre_tlm_tfx.script
-rwxrwx---	1	vobadm	810	Jul	25	10:55	cre_tlm_tfx.sql
-rwxrwx---	1	vobadm	693	Jul	25	10:56	cre_tlm_trigs.script
-rwxrwx---	1	vobadm	1043	Jul	30	16:56	cre_tlm_trigs.sql
-rwxrwx---	1	vobadm	1960	Jul	25	10:56	create_aml_dbs.script
-rwxrwx---	1	vobadm	1051	Jul	25	12:51	create_aml_dspace.sql
-rwxrwx---	1	vobadm	843	Jul	23	14:33	create_aml_errmsgs.script
-rwxrwx---	1	vobadm	900	Jul	25	10:56	create_aml_fos_ops.sql
-rwxrwx---	1	vobadm	980	Jul	25	10:56	create_aml_fos_unv.sql
-rwxrwx---	1	vobadm	885	Jul	25	10:56	create_aml_fos_val.sql
-rwxrwx---	1	vobadm	769	Jul	25	10:56	create_aml_procs.script
-rwxrwx---	1	vobadm	699	Jul	25	10:56	create_fos_dba.sql
-rwxrwx---	1	vobadm	846	Jul	23	14:33	create_lcthres_proc.sql
-rwxrwx---	1	vobadm	914	Jul	25	10:56	create_ops_cmd.sql
-rwxrwx---	1	vobadm	2255	Aug	24	13:23	create_ops_tbls.sql
-rwxrwx---	1	vobadm	1016	Jul	25	10:56	create_ops_tlm.sql
-rwxrwx---	1	vobadm	967	Jul	25	10:56	create_unv_cmd.sql
-rwxrwx---	1	vobadm	657	Jul	23	14:33	create_unv_tbls.sql
-rwxrwx---	1	vobadm	1067	Jul	25	10:56	create_unv_tlm.sql
-rwxrwx---	1	vobadm	925	Jul	25	10:56	create_val_cmd.sql
-rwxrwx---	1	vobadm	1430	Jul	29	13:19	create_val_tbls.sql
-rwxrwx---	1	vobadm	1040	Jul	25	10:56	create_val_tlm.sql
-rwxrwx---	1	vobadm	1251	Jul	25	10:56	data_rep_data.sql
-rwxrwx---	1	vobadm	651	Jul	25	10:56	data_rep_tfx.sql
-rwxrwx---	1	vobadm	1993	Jul	25	10:56	derived_oper_data.sql
-rwxrwx---	1	vobadm	662	Jul	25	10:57	derived_oper_tfx.sql
-rwxrwx---	1	vobadm	764	Jul	25	10:57	event_severity_data.sql
-rwxrwx---	1	vobadm	820	Jul	25	10:57	event_severity_fix.sql
-rwxrwx---	1	vobadm	784	Jul	25	10:57	file_loc_data.sql
-rwxrwx---	1	vobadm	797	Jul	25	10:57	file_loc_fix.sql
-rwxrwx---	1	vobadm	886	Oct	11	11:38	file_meta.sql
-rwxrwx---	1	vobadm	2472	Oct	16	13:23	file_types_data.sql
-rwxrwx---	1	vobadm	876	Jul	31	15:17	file_types_fix.sql
-rwxrwx---	1	vobadm	529	Jul	31	17:01	fos_dba_env.script
-rwxrwx---	1	vobadm	1059	Jul	31	15:17	fos_event_archive.sql
-rwxrwx---	1	vobadm	35039	Oct	29	10:41	fos_events.bcp
-rwxrwx---	1	vobadm	1063	Jul	25	10:57	fos_events.sql
-rwxrwx---	1	vobadm	2848	Jul	25	10:57	fos_events_ins.trig

-rwxrwx---	1	vobadm	1988	Jul	23	14:34	fos_load_cat.sql
-rwxrwx---	1	vobadm	1608	Jul	23	14:34	fos_pids.sql
-rwxrwx---	1	vobadm	1506	Oct	11	11:46	fos_pids_ins.trig
-rwxrwx---	1	vobadm	148698	Oct	11	11:46	fos_pids_ops.bcp
-rwxrwx---	1	vobadm	1851	Oct	11	11:39	fos_pids_ops.sql
-rwxrwx---	1	vobadm	130825	Oct	11	11:46	fos_pids_val.bcp
-rwxrwx---	1	vobadm	986	Jul	23	14:34	fos_request_queue.sql
-rwxrwx---	1	vobadm	968	Jul	25	10:57	fos_rms_role.sql
-rwxrwx---	1	vobadm	965	Jul	25	10:57	fos_rms_role_data.sql
-rwxrwx---	1	vobadm	1212	Jul	25	10:57	fos_subsys_data.sql
-rwxrwx---	1	vobadm	1097	Jul	25	10:57	fos_subsys_fix.sql
-rwxrwx---	1	vobadm	1691	Aug	7	07:57	fos_sysparms_data.sql
-rwxrwx---	1	vobadm	1281	Jul	23	14:34	fos_sysparms_ins.trig
-rwxrwx---	1	vobadm	1216	Jul	25	10:57	fos_system_parms.sql
-rwxrwx---	1	vobadm	997	Jul	25	10:57	fos_uplinkinfo_cat.sql
-rwxrwx---	1	vobadm	3027	Jul	30	15:25	gen_ops_cmd.proc
-rwxrwx---	1	vobadm	620	Jul	23	14:34	gen_ops_cmd.sql
-rwxrwx---	1	vobadm	1726	Jul	23	14:34	gen_ops_db.script
-rwxrwx---	1	vobadm	673	Jul	23	14:34	gen_ops_pdefs.sql
-rwxrwx---	1	vobadm	4241	Jul	23	14:34	gen_ops_pids.proc
-rwxrwx---	1	vobadm	615	Jul	23	14:34	gen_ops_pids.sql
-rwxrwx---	1	vobadm	680	Jul	23	14:34	gen_ops_sys.sql
-rwxrwx---	1	vobadm	4064	Jul	23	14:35	gen_ops_tlm.proc
-rwxrwx---	1	vobadm	622	Jul	23	14:35	gen_ops_tlm.sql
-rwxrwx---	1	vobadm	667	Oct	11	11:47	grd_sys_upd.script
-rwxrwx---	1	vobadm	1219	Oct	11	11:47	grd_sys_upd.sql
-rwxrwx---	1	vobadm	754	Jul	25	10:58	interface_data.sql
-rwxrwx---	1	vobadm	681	Jul	25	10:58	interface_fix.sql
-rwxrwx---	1	vobadm	1454	Aug	24	13:23	name_srvr_met.sql
-rwxrwx---	1	vobadm	762	Aug	5	12:35	odf_table.sql
-rwxrwx---	1	vobadm	768	Aug	24	13:23	odf_table_data.sql
-rwxrwx---	1	vobadm	759	Jul	23	14:35	orbit_event_fdf.sql
-rwxrwx---	1	vobadm	881	Jul	25	10:58	packet_defs.sql
-rwxrwx---	1	vobadm	25805	Oct	11	11:39	packet_defs_data.sql
-rwxrwx---	1	vobadm	2601	Oct	18	12:11	packet_defs_ins.trig
-rwxrwx---	1	vobadm	813	Jul	25	10:58	packet_types.sql
-rwxrwx---	1	vobadm	1618	Jul	25	10:58	packet_types_data.sql
-rwxrwx---	1	vobadm	806	Aug	24	13:23	parm_type_data.sql
-rwxrwx---	1	vobadm	757	Jul	25	10:58	parm_type_fix.sql
-rwxrwx---	1	vobadm	552	Jul	23	14:35	pdb_env.script
-rwxrwx---	1	vobadm	1092	Jul	25	10:58	pdb_load.script
-rwxrwx---	1	vobadm	2995	Jul	25	10:59	pdb_setup.script
-rwxrwx---	1	vobadm	673	Jul	25	10:59	rt_name_cfx.sql
-rwxrwx---	1	vobadm	1715	Jul	25	10:59	rt_name_data.sql
-rwxrwx---	1	vobadm	1223	Jul	23	14:35	sns_register_pst.sql
-rwxrwx---	1	vobadm	686	Jul	25	10:59	tbl_type_cfx.sql
-rwxrwx---	1	vobadm	701	Jul	25	10:59	tbl_type_data.sql
-rwxrwx---	1	vobadm	8641	Jul	25	10:59	tlm_calcurve_ins.trig
-rwxrwx---	1	vobadm	1344	Jul	25	10:59	tlm_calcurve_pdb.sql
-rwxrwx---	1	vobadm	637	Aug	24	13:23	tlm_cata.sql
-rwxrwx---	1	vobadm	4150	Jul	25	10:59	tlm_constant_ins.trig
-rwxrwx---	1	vobadm	919	Jul	25	10:59	tlm_constant_pdb.sql
-rwxrwx---	1	vobadm	4050	Jul	25	10:59	tlm_context_del.trig
-rwxrwx---	1	vobadm	4208	Jul	25	10:59	tlm_context_ins.trig
-rwxrwx---	1	vobadm	1159	Jul	25	10:59	tlm_context_pdb.sql
-rwxrwx---	1	vobadm	4956	Jul	25	10:59	tlm_delta_ins.trig
-rwxrwx---	1	vobadm	868	Jul	25	10:59	tlm_delta_pdb.sql

-rwxrwx---	1	vobadm	8138	Jul	25	10:59	tlm_derived_ins.trig
-rwxrwx---	1	vobadm	1435	Jul	25	11:00	tlm_derived_pdb.sql
-rwxrwx---	1	vobadm	6387	Oct	22	14:57	tlm_desc_ins.trig
-rwxrwx---	1	vobadm	1004	Jul	25	11:00	tlm_desc_pdb.sql
-rwxrwx---	1	vobadm	5521	Jul	25	11:00	tlm_dstate_ins.trig
-rwxrwx---	1	vobadm	933	Jul	25	11:00	tlm_dstate_pdb.sql
-rwxrwx---	1	vobadm	3670	Oct	18	12:13	tlm_errmsg.sql
-rwxrwx---	1	vobadm	4018	Jul	25	11:00	tlm_limsel_del.trig
-rwxrwx---	1	vobadm	4592	Jul	25	12:34	tlm_limsel_ins.trig
-rwxrwx---	1	vobadm	1063	Jul	25	12:34	tlm_limsel_pdb.sql
-rwxrwx---	1	vobadm	3866	Jul	25	12:34	tlm_lineconv_ins.trig
-rwxrwx---	1	vobadm	2397	Jul	25	12:34	tlm_lineconv_pdb.sql
-rwxrwx---	1	vobadm	4565	Jul	25	12:34	tlm_packet_ins.trig
-rwxrwx---	1	vobadm	1073	Jul	25	12:34	tlm_packet_pdb.sql
-rwxrwx---	1	vobadm	8448	Oct	18	12:13	tlm_parm_ins.trig
-rwxrwx---	1	vobadm	1798	Oct	18	12:13	tlm_parm_pdb.sql
-rwxrwx---	1	vobadm	2152	Aug	13	16:50	tlm_pids_upd.trig
-rwxrwx---	1	vobadm	4590	Jul	25	12:35	tlm_polyconv_ins.trig
-rwxrwx---	1	vobadm	1342	Jul	25	12:35	tlm_polyconv_pdb.sql
-rwxrwx---	1	vobadm	6652	Aug	6	12:17	tlm_rylim_ins.trig
-rwxrwx---	1	vobadm	1070	Jul	25	12:35	tlm_rylim_pdb.sql
-rwxrwx---	1	vobadm	812	Jul	25	12:35	tlm_val_log.sql
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	tools
-rwxrwx---	1	vobadm	655	Jul	25	12:35	trunc_cmd_desc.sql
-rwxrwx---	1	vobadm	658	Jul	25	12:35	trunc_cmd_fixdata.sql
-rwxrwx---	1	vobadm	662	Jul	25	12:35	trunc_cmd_flddef.sql
-rwxrwx---	1	vobadm	652	Jul	25	12:35	trunc_cmd_mmask.sql
-rwxrwx---	1	vobadm	653	Jul	25	12:35	trunc_cmd_parm.sql
-rwxrwx---	1	vobadm	667	Jul	25	12:35	trunc_cmd_pstate.sql
-rwxrwx---	1	vobadm	656	Jul	25	12:35	trunc_cmd_tbldef.sql
-rwxrwx---	1	vobadm	663	Jul	25	12:35	trunc_cmd_vardata.sql
-rwxrwx---	1	vobadm	670	Jul	25	12:35	trunc_cmd_verify.sql
-rwxrwx---	1	vobadm	822	Jul	23	14:36	trunc_cmdpdb.sql
-rwxrwx---	1	vobadm	613	Oct	11	11:47	trunc_events.sql
-rwxrwx---	1	vobadm	676	Jul	23	14:36	trunc_ops_pdb.sql
-rwxrwx---	1	vobadm	641	Jul	23	14:36	trunc_ops_pdefs.sql
-rwxrwx---	1	vobadm	643	Jul	23	14:36	trunc_ops_sys.sql
-rwxrwx---	1	vobadm	610	Oct	11	11:46	trunc_pids_ops.sql
-rwxrwx---	1	vobadm	610	Oct	11	11:46	trunc_pids_val.sql
-rwxrwx---	1	vobadm	648	Jul	25	12:35	trunc_tlm_calcurve.sql
-rwxrwx---	1	vobadm	648	Jul	25	12:35	trunc_tlm_constant.sql
-rwxrwx---	1	vobadm	645	Jul	25	12:35	trunc_tlm_context.sql
-rwxrwx---	1	vobadm	639	Jul	25	12:35	trunc_tlm_delta.sql
-rwxrwx---	1	vobadm	645	Jul	25	12:35	trunc_tlm_derived.sql
-rwxrwx---	1	vobadm	657	Jul	25	12:35	trunc_tlm_desc.sql
-rwxrwx---	1	vobadm	665	Jul	25	12:35	trunc_tlm_dstate.sql
-rwxrwx---	1	vobadm	665	Jul	25	12:35	trunc_tlm_limsel.sql
-rwxrwx---	1	vobadm	671	Jul	25	12:35	trunc_tlm_lineconv.sql
-rwxrwx---	1	vobadm	642	Jul	25	12:36	trunc_tlm_packet.sql
-rwxrwx---	1	vobadm	640	Jul	25	12:36	trunc_tlm_parm.sql
-rwxrwx---	1	vobadm	675	Jul	25	12:36	trunc_tlm_polyconv.sql
-rwxrwx---	1	vobadm	665	Jul	25	12:36	trunc_tlm_rylim.sql
-rwxrwx---	1	vobadm	947	Jul	23	14:36	trunc_tlmpdb.sql
-rwxrwx---	1	vobadm	9537	Jul	25	12:36	unit_format_data.sql
-rwxrwx---	1	vobadm	783	Jul	25	12:36	unit_format_fix.sql
-rwxrwx---	1	vobadm	2183	Jul	25	12:36	unit_type_data.sql
-rwxrwx---	1	vobadm	879	Jul	25	12:36	unit_type_fix.sql

-rwxrwx---	1	vobadm	1425	Jul	23	14:36	upd_fos_pids.sql
-rwxrwx---	1	vobadm	2656	Jul	23	14:36	val_cmd_desc.proc
-rwxrwx---	1	vobadm	2743	Jul	23	14:36	val_cmd_fixdata.proc
-rwxrwx---	1	vobadm	3357	Jul	25	12:36	val_cmd_flddef.proc
-rwxrwx---	1	vobadm	2204	Jul	25	12:36	val_cmd_mmask.proc
-rwxrwx---	1	vobadm	2818	Jul	25	12:36	val_cmd_parm.proc
-rwxrwx---	1	vobadm	5171	Jul	25	12:36	val_cmd_pstate.proc
-rwxrwx---	1	vobadm	2394	Jul	25	12:36	val_cmd_tbldef.proc
-rwxrwx---	1	vobadm	5712	Jul	25	12:36	val_cmd_vardata.proc
-rwxrwx---	1	vobadm	2934	Jul	25	12:36	val_cmd_verify.proc
-rwxrwx---	1	vobadm	3119	Jul	25	12:36	val_cmdpdb.proc
-rwxrwx---	1	vobadm	690	Jul	25	12:36	val_cmdpdb.script
-rwxrwx---	1	vobadm	622	Jul	25	12:36	val_cmdpdb.sql
-rwxrwx---	1	vobadm	6982	Jul	25	12:36	val_tlm_calcurve.proc
-rwxrwx---	1	vobadm	2611	Jul	25	12:36	val_tlm_constant.proc
-rwxrwx---	1	vobadm	6787	Jul	25	12:36	val_tlm_context.proc
-rwxrwx---	1	vobadm	2516	Jul	25	12:37	val_tlm_delta.proc
-rwxrwx---	1	vobadm	4068	Jul	25	12:37	val_tlm_derived.proc
-rwxrwx---	1	vobadm	3307	Oct	22	14:57	val_tlm_desc.proc
-rwxrwx---	1	vobadm	5879	Jul	25	12:37	val_tlm_dstate.proc
-rwxrwx---	1	vobadm	6967	Jul	25	12:37	val_tlm_limsel.proc
-rwxrwx---	1	vobadm	5404	Jul	25	12:37	val_tlm_lineconv.proc
-rwxrwx---	1	vobadm	2455	Jul	25	12:37	val_tlm_packet.proc
-rwxrwx---	1	vobadm	8484	Oct	18	12:13	val_tlm_parm.proc
-rwxrwx---	1	vobadm	3013	Jul	25	12:37	val_tlm_polyconv.proc
-rwxrwx---	1	vobadm	2937	Jul	25	12:37	val_tlm_rylim.proc
-rwxrwx---	1	vobadm	5531	Oct	22	14:57	val_tlmpdb.proc
-rwxrwx---	1	vobadm	649	Jul	25	12:37	val_tlmpdb.script
-rwxrwx---	1	vobadm	624	Jul	25	12:37	val_tlmpdb.sql
-rwxrwx---	1	vobadm	694	Jul	25	12:37	value_type_cfx.sql
-rwxrwx---	1	vobadm	667	Jul	25	12:37	value_type_data.sql

db/tools:
total 0

dbinit:
total 0

displaydefs:
total 16

drwxrwxr-x	2	vobadm	8192	Nov	11	13:57	activepages
drwxrwxr-x	2	vobadm	8192	Nov	11	13:57	newpages

displaydefs/activepages:
total 33

-rwxrwx---	1	vobadm	7129	Oct	30	13:18	cfgops
-rwxrwx---	1	vobadm	1396	Oct	30	13:19	cfgops.pms
-rwxrwx---	1	vobadm	7137	Oct	30	13:18	cfgtest
-rwxrwx---	1	vobadm	1398	Oct	30	13:21	cfgtest.pms
-rwxrwx---	1	vobadm	7130	Oct	30	13:19	cfgtrain
-rwxrwx---	1	vobadm	1400	Oct	30	13:21	cfgtrain.pms
-rwxrwx---	1	vobadm	1295	Oct	30	13:22	pageSystem.dat
-rwxrwx---	1	vobadm	4096	Oct	30	13:23	pageUser.dat

displaydefs/newpages:
total 27

-rwxrwx---	1	vobadm	7129	Oct	30	13:29	cfgops
------------	---	--------	------	-----	----	-------	--------

-rwxrwx---	1	vobadm	1396	Oct	30	13:30	cfgops.pms
-rwxrwx---	1	vobadm	7137	Oct	30	13:29	cfgtest
-rwxrwx---	1	vobadm	1398	Oct	30	13:31	cfgtest.pms
-rwxrwx---	1	vobadm	7130	Oct	30	13:30	cfgtrain
-rwxrwx---	1	vobadm	1400	Oct	30	13:31	cfgtrain.pms

dumps:
total 0

edos:
total 0

events:
total 0

fdf:
total 0

groundsched:
total 32

drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	archive
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	report
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	script
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	working

groundsched/archive:
total 0

groundsched/report:
total 0

groundsched/script:
total 0

groundsched/working:
total 0

helpdocs:
total 0

loadcatalog:
total 8

drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	working
------------	---	--------	------	-----	---	-------	---------

loadcatalog/working:
total 0

loadcontents:
total 0

loads:
total 40

drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	atc
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	fsw
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	mp
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	rts
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	table

loads/atc:
total 0

loads/fsw:
total 0

loads/mp:
total 0

loads/rts:
total 0

loads/table:
total 0

ltip:
total 0

ltsp:
total 0

odf:
total 5653

-rw-rw-r--	1	vobadm	291687	Nov	4	09:24	AnalysisOdf_1.0
-rw-rw-r--	1	vobadm	3363	Nov	4	09:46	CmdSelectFilterOdf_1.0
-rw-rw-r--	1	vobadm	719148	Nov	4	09:32	CommandOdf_1.0
-rwxrwx---	1	vobadm	15602	Oct	25	12:36	DirKeywords.dat
-rw-rw-r--	1	vobadm	43214	Nov	4	09:33	EventOdf_1.0
-rw-rw-r--	1	vobadm	686296	Nov	4	09:43	FuiCommandOdf_1.0
-rw-rw-r--	1	vobadm	11701	Nov	4	09:46	GcmrOdf_1.0
-rw-rw-r--	1	vobadm	419957	Nov	4	09:46	ParmDataOdf_1.0
-rw-rw-r--	1	vobadm	200816	Nov	4	09:47	PidsOdf_1.0
-rw-rw-r--	1	vobadm	51	Nov	4	09:48	SystemOdf_1.0
-rw-rw-r--	1	vobadm	89	Nov	4	09:48	SystemPidsOdf_1.0
-rw-rw-r--	1	vobadm	9571	Oct	24	13:29	Tlm16kDiagOdf_1.0
-rw-rw-r--	1	vobadm	8861	Oct	24	13:29	Tlm1kDiagOdf_1.0
-rw-rw-r--	1	vobadm	9571	Oct	24	13:29	TlmCtiuOdf_1.0
-rw-rw-r--	1	vobadm	712144	Oct	24	13:29	TlmHealthOdf_1.0
-rw-rw-r--	1	vobadm	2160564	Oct	24	13:26	TlmHouseOdf_1.0
-rw-rw-r--	1	vobadm	19388	Nov	4	09:46	TlmSelectFilterOdf_1.0
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	fuiodf
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	ops
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	test
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	training

odf/fuiodf:
total 0

odf/ops:
total 0

odf/test:
total 0

odf/training:
total 0

pdb:

total 33

drwxrwxr-x	2	vobadm	8192	Nov	8	16:03	data
drwxrwxr-x	4	vobadm	8192	Nov	8	15:34	input
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	load
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	log
-rwxrwx---	1	vobadm	552	Jul	23	14:35	pdb_env.script

pdb/data:

total 16

-rwxrwx---	1	vobadm	189	Feb	8	1996	cmd_desc.fmt
-rwxrwx---	1	vobadm	125	Feb	8	1996	cmd_fixdata.fmt
-rwxrwx---	1	vobadm	246	Feb	8	1996	cmd_parm.fmt
-rwxrwx---	1	vobadm	188	Feb	8	1996	cmd_pstate.fmt
-rwxrwx---	1	vobadm	1084	Feb	8	1996	cmd_vardata.fmt
-rwxrwx---	1	vobadm	280	Feb	8	1996	cmd_verify.fmt
-rwxrwx---	1	vobadm	384	Feb	8	1996	tlm_calcurve.fmt
-rwxrwx---	1	vobadm	128	Feb	8	1996	tlm_delta.fmt
-rwxrwx---	1	vobadm	307	Feb	8	1996	tlm_desc.fmt
-rwxrwx---	1	vobadm	160	Feb	8	1996	tlm_dstate.fmt
-rwxrwx---	1	vobadm	189	Feb	8	1996	tlm_limsel.fmt
-rwxrwx---	1	vobadm	95	Feb	8	1996	tlm_packet.fmt
-rwxrwx---	1	vobadm	276	Oct	24	14:06	tlm_parm.fmt
-rwxrwx---	1	vobadm	235	Feb	8	1996	tlm_polyconv.fmt
-rwxrwx---	1	vobadm	249	Feb	8	1996	tlm_rylim.fmt

pdb/input:

total 16

drwxrwxr-x	2	vobadm	8192	Nov	11	13:57	003
drwxrwxr-x	2	vobadm	8192	Nov	8	15:34	999

pdb/input/003:

total 5162

-rwxrwx---	1	vobadm	437219	Nov	8	09:40	cmd_desc_003.pdb
-rwxrwx---	1	vobadm	200900	Nov	8	09:40	cmd_fixdata_003.pdb
-rwxrwx---	1	vobadm	203299	Nov	8	09:41	cmd_parm_003.pdb
-rwxrwx---	1	vobadm	2075	Nov	8	09:53	cmd_pstate_003.pdb
-rwxrwx---	1	vobadm	249065	Nov	8	09:42	cmd_vardata_003.pdb
-rwxrwx---	1	vobadm	97890	Nov	8	09:43	cmd_verify_003.pdb
-rwxrwx---	1	vobadm	238788	Nov	8	09:43	tlm_calcurve_003.pdb
-rwxrwx---	1	vobadm	3772	Nov	8	09:44	tlm_delta_003.pdb
-rwxrwx---	1	vobadm	1237745	Nov	8	09:45	tlm_desc_003.pdb
-rwxrwx---	1	vobadm	164604	Nov	8	09:47	tlm_dstate_003.pdb
-rwxrwx---	1	vobadm	2964	Nov	8	09:47	tlm_limsel_003.pdb
-rwxrwx---	1	vobadm	545	Nov	8	09:54	tlm_packet_003.pdb
-rwxrwx---	1	vobadm	2075066	Nov	8	09:48	tlm_parm_003.pdb
-rwxrwx---	1	vobadm	54229	Nov	8	09:49	tlm_polyconv_003.pdb
-rwxrwx---	1	vobadm	66720	Nov	8	09:49	tlm_rylim_003.pdb

pdb/input/999:

total 0

pdb/load:

total 0

pdb/log:

total 0

procs:

total 0

reports:

total 8

drwxrwxr-x 2 vobadm 8192 Nov 8 15:34 loads

reports/loads:

total 0

requestfiles:

total 0

res:

total 6

-rwxrwx---	1	vobadm	87	Jul	11	13:56	ATCLOADGEN
-rwxrwx---	1	vobadm	117	Jul	11	13:56	ActDef
-rwxrwx---	1	vobadm	112	Jul	11	13:56	BAP
-rwxrwx---	1	vobadm	111	Jul	11	13:56	CMS
-rwxrwx---	1	vobadm	113	Jul	11	13:56	FpTlXtl
-rwxrwx---	1	vobadm	127	Jul	11	13:56	GenSched

results:

total 0

roomdefs:

total 3

-rw-rw-r--	1	vobadm	499	Oct	28	14:14	roomSystem.dat
-rw-rw-r--	1	vobadm	1367	Nov	4	14:56	roomUser.dat

schedcontr:

total 8

drwxrwxr-x 2 vobadm 8192 Nov 8 15:34 working

schedcontr/working:

total 0

scripts:

total 1656

-rwxrwx---	1	vobadm	1625652	Oct	29	09:36	psutil
drwxrwxr-x	2	vobadm	8192	Nov	11	15:01	setup

scripts/setup:

total 1584

-rwxrwx---	1	vobadm	2134	Oct	25	09:22	A2_DataServerStartup
-rwxrwx---	1	vobadm	1040	Oct	25	09:40	A2_RealTimeServerStartup
-rwxrwx---	1	vobadm	1966	Oct	25	09:40	A2_UserStationStartup
-rwxrwxr-x	1	vobadm	1446	Oct	28	15:05	A2_UserStationStartup_NONPAS
-rwxrwxr-x	1	vobadm	1401	Oct	28	13:25	A2_UserStationStartup_PAS
-rwxr-xr-x	1	vobadm	1032	Aug	19	11:02	A2tlmEnvVars
-rwxr-xr-x	1	vobadm	1258085	Aug	19	11:15	A2tlmHKValues
-rwxr-xr-x	1	vobadm	208772	Aug	19	11:15	A2tlmHSValues
-rwxr-xr-x	1	vobadm	2483	Oct	1	16:52	FosArch
-rwxrwx---	1	vobadm	6060	Nov	1	17:03	FosEnvVars
-rwxrwxr-x	1	vobadm	16033	Jun	25	10:10	MachArch

```

-rwxrwx--- 1 vobadm      5880 Oct 25 09:41 MyKill
-rwxr-xr-x 1 vobadm      169 Oct  5 12:09 ProcessPms
lrwxrwxrwx 1 vobadm       49 Nov 11 13:42 evtdis.uid ->
/net/beeper/fos/cm/aml/bin/dec_osf_3-2/evtdis.uid
-rwxrwx--- 1 vobadm     1336 Oct 25 09:41 fos_sybsetup.script
-rwxrwx--- 1 vobadm       37 Oct 15 10:41 rm_10.script
-rwxrwx--- 1 vobadm     139 Oct 15 10:41 rm_10.sql
-rwxrwx--- 1 vobadm       36 Oct 15 10:42 rm_2.script
-rwxrwx--- 1 vobadm     137 Oct 15 10:42 rm_2.sql
-rwxrwx--- 1 vobadm       36 Oct 15 10:43 rm_4.script
-rwxrwx--- 1 vobadm     137 Oct 15 10:43 rm_4.sql
-rwxrwx--- 1 vobadm       36 Oct 15 10:43 rm_5.script
-rwxrwx--- 1 vobadm     137 Oct 15 10:44 rm_5.sql
-rwxrwx--- 1 vobadm       36 Oct 25 10:11 rm_6.script
-rwxrwx--- 1 vobadm     137 Oct 25 10:11 rm_6.sql
-rwxrwx--- 1 vobadm       36 Oct 25 10:12 rm_7.script
-rwxrwx--- 1 vobadm     137 Oct 25 10:12 rm_7.sql
-rwxrwx--- 1 vobadm       36 Oct 15 10:44 rm_8.script
-rwxrwx--- 1 vobadm     137 Oct 15 10:44 rm_8.sql
-rwxrwx--- 1 vobadm       36 Oct 15 10:44 rm_9.script
-rwxrwx--- 1 vobadm     137 Oct 15 10:45 rm_9.sql
-rwxrwx--- 1 vobadm       38 Oct 15 10:45 rm_all.script
-rwxrwx--- 1 vobadm       50 Oct 15 10:45 rm_all.sql
-rwxrwx--- 1 vobadm       39 Oct 15 10:46 show_10.script
-rwxrwx--- 1 vobadm     143 Oct 15 10:46 show_10.sql
-rwxrwx--- 1 vobadm       38 Oct 15 10:47 show_2.script
-rwxrwx--- 1 vobadm     141 Oct 15 10:47 show_2.sql
-rwxrwx--- 1 vobadm       38 Oct 15 10:47 show_4.script
-rwxrwx--- 1 vobadm     141 Oct 15 10:48 show_4.sql
-rwxrwx--- 1 vobadm       38 Oct 15 10:49 show_5.script
-rwxrwx--- 1 vobadm     141 Oct 15 10:49 show_5.sql
-rwxrwx--- 1 vobadm       38 Oct 25 10:12 show_6.script
-rwxrwx--- 1 vobadm     141 Oct 25 10:13 show_6.sql
-rwxrwx--- 1 vobadm       38 Oct 25 10:13 show_7.script
-rwxrwx--- 1 vobadm     141 Oct 25 10:13 show_7.sql
-rwxrwx--- 1 vobadm       38 Oct 15 10:50 show_8.script
-rwxrwx--- 1 vobadm     141 Oct 15 10:50 show_8.sql
-rwxrwx--- 1 vobadm       38 Oct 15 10:50 show_9.script
-rwxrwx--- 1 vobadm     141 Oct 15 10:51 show_9.sql
-rwxrwx--- 1 vobadm       40 Oct 15 10:51 show_all.script
-rwxrwx--- 1 vobadm       52 Oct 15 10:51 show_all.sql
-rwxrwx--- 1 vobadm     1194 Aug  5 11:50 st_ad
-rwxrwx--- 1 vobadm     1091 Aug  5 11:50 st_bd
-rwxrwx--- 1 vobadm       208 Aug  5 11:50 st_eh
-rwxrwx--- 1 vobadm       346 Aug  5 11:50 st_fs
-rwxrwx--- 1 vobadm       346 Aug  5 11:50 st_fs.2
-rwxrwx--- 1 vobadm       346 Aug  5 11:50 st_fs.3
-rwxrwx--- 1 vobadm       346 Aug  5 11:50 st_fs.4
-rwxrwx--- 1 vobadm       346 Aug  5 11:50 st_fs.5
-rwxrwx--- 1 vobadm       346 Aug  5 11:50 st_fs.6
-rwxrwx--- 1 vobadm       346 Aug  5 11:50 st_fs.7
-rwxrwx--- 1 vobadm       346 Aug  5 11:50 st_fs.9
-rwxrwx--- 1 vobadm     1045 Aug  5 11:50 st_gs
-rwxrwx--- 1 vobadm       224 Aug  5 11:50 st_lg
-rwxrwx--- 1 vobadm       208 Aug  5 11:50 st_lq
-rwxrwx--- 1 vobadm       581 Aug  5 11:50 st_ns
-rwxrwx--- 1 vobadm       738 Aug  5 11:50 st_rm

```

```
-rwxrwx--- 1 vobadm      363 Sep 29 18:01 st_tl  
-rwxr-xr-x 1 vobadm     169 Aug 19 11:19 telemetry.db
```

```
statistics:  
total 0
```

```
tlmarchive:  
total 0
```

5. Non-Conformance Status

5.1 Known Problems with FOS

This section contains the list of problems closed (section 5.2) and known problems (section 5.3) as of 11/7/96 in the product. These problems were found and recorded during unit and integration testing and captured in the formal problem tracking system, Distributed Defect Tracking System (DDTS). The DDTS system generated the attached list of “open” NCRs. This list has been reviewed by HITC management and the FOS system is considered to be acceptable for delivery at this time. The list includes the NCR ID, Software, Title, Severity, and Problem description. DDTS problem severity definitions, on a 1-5 scale, are defined as follows:

- 1 Catastrophic bug without workaround that causes total failure or unrecoverable data loss.
Example: system crash or lost user data.
- 2 Bug which severely impairs functionality. Workaround might exist but is unsatisfactory.
Example: can not use major product function.
- 3 Bug that causes failure of noncritical system aspects. There is a reasonably satisfactory workaround.
Example: user data must be modified to work.
- 4 Bug of minor significance. Workaround exists or, if not, the impairment is slight.
Example: error messages are not very clear.
- 5 Very minor defect. Workaround exists or the problem can be ignored.
Example: bad layout or misuse of grammar in manual.

5.2 FOS Non-Conformance Reports (Closed Status)

This is the first delivery of the software and this section is not applicable.

5.3 FOS Non-Conformance Reports (Open Status)

The following NCRs are liens against the FOS Version 1.00 delivery.

NCR ID: ECSed03872

Software: DMS

Title: Command ODF hex to decimal conversion not being done properly

Severity: 1

Problem: The command database tables store data in ASCII hex representation. The odf generation interprets the ASCII hex representation as ASCII decimal. This causes the binary for the commands to be incorrect.

NCR ID: ECSed03987
Software: CMD
Title: submnemonics not converted ASCII to binary
Severity: 1
Problem: Submnemonics from FUI to command format are in ASCII and need to be converted to binary before insertion in to the command. This is not being done and the commands are not being properly built.

NCR ID: ECSed04434
Software: ANA
Title: Could not generate a stats request: data file comes back empty
Severity: 1
Problem: The user tried to generate a user-specified statistics request. The request was generated but the statistics files in /fos/test/am1/datasets was empty. F-ANA-03050 F-ANA-05250

NCR ID: ECSed01944
Software: FUI-B
Title: ECL Directive PAGE CLOSE
Severity: 2
Problem: ECL directive "PAGE CLOSE" caused Environment Controller, mini-Control Window and String Manager Jr. processes to crash. Had to rerun script to restart these processes.

NCR ID: ECSed02452
Software: PAS-B
Title: Executables and source code outside accepted directory structure
Severity: 2
Problem: Executables and source code are being delivered outside the accepted directory structure guidelines - Code has not been inspected and unit tested and is treated as deliverable code - creatCmdActs and createCmds

NCR ID: ECSed02456
Software: PAS-B
Title: FpTl Power Usage not showing usage correctly
Severity: 2
Problem: Power usage representation on the timeline is not correct. Having scheduled an activity to represent power usage the power usage stayed as a flat line over the time frame of that activity. Power usage should have been shown as increasing.

NCR ID: ECSed02471
Software: RCM-B
Title: FOS/NCC Communication via XDR

Severity: 2

Problem: For the purposes of integration and test, this INCR should be classified as an enhancement. Currently, the RCM NCC Ground Manager process uses the FOS IPC mechanism to successfully communicate with the NCC Unit Test Driver and support integration and test efforts as needed. The RCM NCC Ground Manager will, however, need to communicate with the NCC as early as September 1, 1996 using the XDR format. XDR is not currently supported by the FOS IPC solution. When the RCM NCC Ground Manager software is modified to use XDR, the NCC Unit Test Driver will also require the upgrade so that integration and test efforts are possible between now and September 1.

NCR ID: ECSed02487

Software: FOS

Title: Use of 'hardcoded' variables will not support multi-mission/mode req

Severity: 2

Problem: The use of environment variables and start-up script command line arguments specifying a spacecraft id (AM-1) or a mode id (operational, test, training) will not support multi-mission and multi-mode system requirements.

Level 4 Requirements:

F-FOS-00030

F-FOS-00035

F-FOS-00040

NCR ID: ECSed02488

Software: FOS Common S/W

Title: Use of 'hardcoded' communication port assignments

Severity: 2

Problem: The use of hardcoded communication port assignments should be replaced with references to the FOS Services file(s) (for port assignments reserved for well known services or for multi-cast port assignments) or queries to the FOS Name Server (for point-to-point assignments registered for dynamic services).

This NCR is related to ECSed02752.

NCR ID: ECSed02645

Software: DMS

Title: FileMetaData doesn't return status

Severity: 2

Problem: The FileMetaData server doesn't return a status to indicate if files have been stored successfully or not. If they are not stored successfully then these files will not get archived. The user should be made aware of this situation.

NCR ID: ECSed02702
Software: DMS
Title: RCM NccGroundMgr Connection to Archiver
Severity: 2
Problem: The NccGroundMgr Archiver Proxy lost its connection to the Ground Telemetry Archiver when attempting to send a message to be archived.

NCR ID: ECSed02752
Software: FOS Common
Title: Registering and retrieving from the Name Server correctly
Severity: 2
Problem: Processes need to register with the Name Server with at least the process name, the spacecraft ID and the process type (DEV, INT, OPS, TEST). Lookups from the Name Server by processes need to be requested based on the above three criteria at a minimum.

NCR ID: ECSed02757
Software: FOS Common S/W
Title: The CDE Window Manager should NEVER be used to test FUI Applications
Severity: 2
Problem: The CDE Window Manager (Common Desktop Environment) is a different Window Manager than Motif. FUI has no requirements to work under CDE. FUI code is required to work under Motif. All FUI developers code and test under Motif. FUI developers have noticed several differences in how applications behave under CDE vs. Motif. Since FUI has neither the time nor the requirements to make their applications run under CDE, all testing should be performed under Motif. If an INCR is generated under CDE, against FUI, FUI will request that the problem be proven to exist under Motif before excepting the INCR. If, at some time in the future, FUI is given requirements (a big CCR) to work under CDE, then FUI code will be upgraded to work correctly under CDE.

NCR ID: ECSed02805
Software: PAS-B
Title: FpTl Timeline - user resources not applied to timeline
Severity: 2
Problem: Selected User Setup/Resources - and chose the resources I wanted to have on the timeline. Selected Apply & Ok. The resources selected were not applied to the timeline.

NCR ID: ECSed02810
Software: SYS
Title: The use of process type & mode are different between subsystems-EndPt
Severity: 2

Problem: CMS uses OP_ENV to set the process type when registering with the name server. OP_ENV is set in the FosEnvVars file to indicate, dev, int, ops, test, training, etc. The ground script controller is looking for a process type equal to 3. I don't know what process type means to the ground script controller and the parameter server. The parameter server uses process mode to indicate, ops, test, training, etc. using numeric values.

This NCR is related to ECSed02488 and ECSed02752.

NCR ID: ECSed02821

Software: DMS

Title: Proxy needs to be asynchronous for GUI use

Severity: 2

Problem: The FdDbTd proxy does an asynchronous send. Within a GUI process, communications are required to be asynchronous after the window is managed.

NCR ID: ECSed02834

Software: FUI - B

Title: Incorrect Syntax check result

Severity: 2

Problem: When I did a Syntax check by using the CheckProcedureSyntax function of the FuCLParser class, I got a valid result for "CV ONtn" which is not a valid statement.

NCR ID: ECSed02856

Software: DMS

Title: Needs to add telemetry limits and states to PidOdf.O

Severity: 2

Problem: The Directive Builder is required to show the telemetry limits and states to the user. But, the Odf Directive Builder currently used does not include those data elements. The class FoUpParamData needs to be modified to include the telemetry limits and states and PidsOdf.O needs to be rebuilt so that the Directive Builder could display the telemetry limits and states.

NCR ID: ECSed02908

Software: FOS

Title: Inconsistent methods for finding Odf files.

Severity: 2

Problem: In order to determine the proper Odf file within a multi mission environment it is necessary to combine an environment path name (ie. ops, test, dev) with a space craft id (i.e., AM1, PM1). Currently

NCR ID: ECSed02935

Software: FUI-B

Title: EC must automatically update its page list when new pages are created
Severity: 2
Problem: Currently, a new page definition (created via the Display Builder) is not recognized by EC until the process is restarted. A manual workaround using a script generates the new pageUser.dat file, but EC has no way of re-reading this file once it has been started.

NCR ID: ECSed02975

Software: TLM

Title: Decom Is Using 20+% Of The CPU

Severity: 2

Problem: Decom on the Real-Time Server and the User Station has been using over 20% of the CPU once the packet generator is turned on. If two packet generators are running, then the two Decom processes eat up 40+% of the CPU. Here is output from a test:

```
sneezer{fosint2}1: ps aux
USER      PID %CPU %MEM    SZ  RSS TT      S   START TIME
COMMAND
fosint2  9272 19.8 11.224352 6996 pts/3   R 15:43:15  7:15 FtDcDecom -sid 100
-sc am1 -ttype 3 -ctype 0 -chtype 2 -rate 1
fosint2  9268 19.4 14.825864 9256 pts/3   R 15:43:14  7:59 FtDcDecom -sid 100
-sc am1 -ttype 2 -ctype 0 -chtype 1 -rate 2
fosint2  9251 13.5  4.8 5564 2996 pts/3   R 15:42:12  4:44 FoPsParameterServer
-sc AM1 -sid 100 -dbid 1.0 -state 1 -mode 1 -psi 1 -chtype 1
fosint2  9254 12.6  2.8 5148 1748 pts/3   R 15:42:32  4:50 FoPsParameterServer
-sc AM1 -sid 100 -dbid 1.0 -state 1 -mode 1 -psi 1 -chtype 2
fosint2  9344  9.0  5.6 4328 3508 pts/4   R 17:15:47  0:11 A2tlm
fosint2  9343  8.6  3.0 2640 1880 pts/5   R 17:15:14  0:19 A2tlm
```

NCR ID: ECSed02976

Software: FOS Common

Title: Need to Analyze Parameter Server Performance

Severity: 2

Problem: ParameterServer on the Real-Time Server and the User Station has been using over 10% of the CPU once the packet generator is turned on. If two packet generators are running, then the two ParameterServer processes eat up 20+% of the CPU. Here is output from a test:

```
sneezer{fosint2}1: ps aux
USER      PID %CPU %MEM    SZ  RSS TT      S   START TIME
COMMAND
fosint2  9272 19.8 11.224352 6996 pts/3   R 15:43:15  7:15 FtDcDecom -sid 100
-sc am1 -ttype 3 -ctype 0 -chtype 2 -rate 1
fosint2  9268 19.4 14.825864 9256 pts/3   R 15:43:14  7:59 FtDcDecom -sid 100
-sc am1 -ttype 2 -ctype 0 -chtype 1 -rate 2
```

fosint2 9251 13.5 4.8 5564 2996 pts/3 R 15:42:12 4:44 FoPsParameterServer
-sc AM1 -sid 100 -dbid 1.0 -state 1 -mode 1 -psi 1 -chtype 1
fosint2 9254 12.6 2.8 5148 1748 pts/3 R 15:42:32 4:50 FoPsParameterServer
-sc AM1 -sid 100 -dbid 1.0 -state 1 -mode 1 -psi 1 -chtype 2
fosint2 9344 9.0 5.6 4328 3508 pts/4 R 17:15:47 0:11 A2tlm
fosint2 9343 8.6 3.0 2640 1880 pts/5 R 17:15:14 0:19 A2tlm

NCR ID: ECSed03039
Software: FUI-B
Title: Proc Bldr flags valid syntax errors on the line following the error.
Severity: 2
Problem: Procedure Builder fails its syntax check when there are no apparent errors.

NCR ID: ECSed03208
Software: RCM
Title: Can not archive GCMR messages.
Severity: 2
Problem: During GCMR processing, after entering the first GCMR directive, the Event Display displayed: NCC Telemetry Archiver detected data dropout. From this point on, whenever FgGmNccGroundMgr tried to archive a GCMR message, the Event Display displayed: FoIpCommExcept was caught, socket error, error = broken pipe.

NCR ID: ECSed03302
Software: FOS Common
Title: Ctlr-Z kills processes
Severity: 2
Problem: When hitting control-z all processes that are running are killed. FoUt incorrectly installs a signal handler for SiGSTP which causes processes to die if the user intends to stop it

NCR ID: ECSed03309
Software: FUI-B
Title: Removing multiple items from listbox is slow
Severity: 2
Problem: Removing large numbers of parameters from listbox forces screen redraws for each item removed. This is time consuming

NCR ID: ECSed03310
Software: FOS Common
Title: Parameter monitor slows up dynamic page display
Severity: 2
Problem: Dynamic page takes more than 1 minute to appear because every parameter monitor must read in ~640K XDR file. Since a Dynamic Page may have multiple parameter

monitors, this initialization degrades th Consider using a metafile, so that PM's may determine the type of a parameter from a single file associated with a given spacecraft

NCR ID: ECSed03359
Software: FUI-B
Title: Unintended Parameter Selection
Severity: 2
Problem: In "Analysis Telemetry Selector" window, user must de-select all entries in "Available Parameter" List, otherwise they will be reselected.

NCR ID: ECSed03375
Software: FUI-B
Title: Cannot delete times
Severity: 2
Problem: Cannot delete selected times in "Analysis Request Builder" window.

NCR ID: ECSed03383
Software: DMS-B
Title: No Data Base Option
Severity: 2
Problem: F-RMS-00035 The EOC Operator is uanable to specify a database, other than the Default.

NCR ID: ECSed03384
Software: FUI-B
Title: Limited Data Set Names
Severity: 2
Problem: Only one data set name allowed in "Analysis Request Builder" window. User should be prompted for a different data set name for each time specified.

NCR ID: ECSed03438
Software: DMS
Title: Parameter Picker Window Can't Pick Parameters
Severity: 2
Problem: The selection Filter of the Parameter Picker is black cannot pick parameters to fill onto page display.

NCR ID: ECSed03440
Software: DMS/FUI-B
Title: Alarm Msg no filtering & Display'
Severity: 2

Problem: Currently, alarm messages are no different than non-alarm messages and no way to filter them via event filter options.

NCR ID: ECSed03442

Software: FUI/DMS

Title: Event Display filtering option for ops,test and training'

Severity: 2

Problem: There is currently no filtering option for ground systems (i.e. ops, test, or training)

NCR ID: ECSed03453

Software: FUI-B

Title: 'Save As' Feature w/Proc Builder

Severity: 2

Problem: Default Directory is /fos/test/am1/scripts/setup Should be a data proc directory not startup.

NCR ID: ECSed03471

Software: HW

Title: Raid data transfer rate

Severity: 2

Problem: Raid data transfer rate is less than 20 MB. The requirement is 20 MB transfer rate but the disks are rated for 10 MB.

NCR ID: ECSed03472

Software: HW

Title: RAID hot-swap

Severity: 2

Problem: The RAID fan and controllers for the disk-array are not hot-swappable.

NCR ID: ECSed03496

Software: FUI

Title: Display Builder Exit on Return

Severity: 2

Problem: Display Builder exits if the return button is hit in the selection area of the file selection if a file is not selected.

NCR ID: ECSed03499

Software: FUI

Title: Parameters Truncated in available parameter list

Severity: 2

Problem: In Data Source Dialog Window, the parameters included in the available parameters columns are cut off; that is, the last characters in the parameter name are truncated.

NCR ID: ECSed03500
Software: FUI-B
Title: Selection Filter/Deselection takes too long
Severity: 2
Problem: Deselection of a filtered subsystem in the selection filter takes too long. It has taken up to 10 minutes at times if the number of parameters listed in the available parameters text area is large.

NCR ID: ECSed03502
Software: FUI-B
Title: Process PMS Does Not Make Pages Active
Severity: 2
Problem: ProcessPms copies newpages to active pages but the pages still don't come up when called. They also do not appear under TlmWins.

NCR ID: ECSed03505
Software: FUI-B
Title: No Error for Bringing up an Illegal Page
Severity: 2
Problem: Display Builder will try to open files even if they are not display pages. No error message is received. The Display Builder window resizes to a small size.

NCR ID: ECSed03509
Software: FUI-B
Title: Event Display drop-out after resize
Severity: 2
Problem: The event display was widened when displaying seven events (for generating a DAS). When the resize operation was complete, the event display contained only the first four events. New events were not displayed.

NCR ID: ECSed03527
Software: FUI-B
Title: Parameter Picker doesn't reset
Severity: 2
Problem: When building a new page, the data source resets but the parameter picker still displays the last group of mnemonics filtered on. This group also stays even if a different data source is selected.

NCR ID: ECSed03900
Software: FUI
Title: Time Selector accepts a starttime the same as the stop time

Severity: 2
Problem: F-ANA-03015 An analysis request should be 1 second or greater. The time selector accepts a 0 second duration.

NCR ID: ECSed03953
Software: FUI
Title: Cmd contrl windw crashes when user attempts to killground script
Severity: 2
Problem: When user attempts to kill a ground script using kill button on the cmd control window it crashes the window, user attempts to bring up a new window and a cmd monitor window appears. When a second user attempts to take command the ground script controller crashes and this causes an error within the FOP procsss and user cannot bring up a command control window.

NCR ID: ECSed03959
Software: FOS Common S/W
Title: FoIp Motif Notifier Is Using Too Much CPU
Severity: 2
Problem: The FoIp Motif Notifier is very inefficient. It is directly responsible for 20-30% CPU utilization in FUI processes that are relatively inactive (i.e. not sending or receiving lots of data/classes). This is a well known and understood problem that was pushed off until a late

NCR ID: ECSed03960
Software: FOS Common S/W
Title: FoIp Uses A Very CPU Intensive Class Flattening And Restoring Method
Severity: 2
Problem: Currently, FoIp is using a very ineffecient method to send classes, i.e. Portable ASCII streams. No consideration is being made as to whether the message is being sent to the same kind of H/W and O/S conversion to Portable ASCII by the sender, and eliminate the conversion from Portable ASCII by the receiver. Since most of our communication is between processes on the same H/W and O/S, much less the same machine, this should provide a significant speed increase.

NCR ID: ECSed03961
Software: FOS Common
Title: Some Functions in the FoTm lib. cause a core dump.
Severity: 2
Problem: The use of the floor() function in FoTm Functions results in a core dump on the DEC.

NCR ID: ECSed03962
Software: FUI

Title: Selection Filter bug when items are selected before hitting O.K.
Severity: 2
Problem: The selection filter window will not work properly if the user selects an item in the "selected" list and then hits O.K. After that, the window behaves incorrectly.

NCR ID: ECSed03967
Software: FUI/FOS
Title: Display page telemetry update rate is slow
Severity: 2
Problem: Telemetry update on display pages is very slow. Ran the telemetry packet generator at 6 seconds between packets and the display page was still slow
note: when analyzing this NCR, see NCR #3959

NCR ID: ECSed03982
Software: PAS-B
Title: Current date and time is missing from schedule time line
Severity: 2
Problem: Requirement is not met. (FUI-04070) No current Date and Time on the time line display

NCR ID: ECSed03986
Software: SYSTEM
Title: DEC byte addressing "little indian first"
Severity: 2
Problem: When doing a hex dump (Unix od -x) of a command data block log file I realized that the DEC machine was using even byte addressing-least significant byte first, causing each pair of bytes in the dump to be swapped. I am informed that the DEC is supposed to be configurable to address the way the rest of the world does it. This could have serious impact to the functioning of software on a DEC machine. If it is indeed possible to select "big indian first" addressing, it should be done as soon as possible to minimize any possible impact to FOS software when running on a DEC machine.

NCR ID: ECSed03999
Software: TLM
Title: Out-of-Limits (red) parameters go static
Severity: 2
Problem: Telemetry parameters whose values are Out-of-Limits (red) turn static, and the row color changed from red to white, even though the same Out-of-limits (red) values are continually being ingested. In the attached TLM decomm page, CHD_VR_PWRB_AYT_2V, a high red value of 220,000 is continually ingested. After several cycles however, the parameter changes to static ("S") and the row color changes to white.

Note: related to NCR 2690

NCR ID: ECSed04009
Software: SYSTEM
Title: Isolate the mini-EOC.
Severity: 2
Problem: If possible, the mini-EOC should be put on its own subnet to prevent receiving multicast messages from the second floor. This disrupted testing for two consecutive days because it was crashing the User Stations in the mini-EOC and we couldn't test.

NCR ID: ECSed04020
Software: SYSTEM
Title: Start a command proc crashes system
Severity: 2
Problem: Starting a command proc within the command control window crashes the system.

NCR ID: ECSed04022
Software: DMS
Title: Exponential conversion types are not getting through validation
Severity: 2
Problem: DMS validation software is kicking out mnemonics defined with an exponential calcurve. The conv_type_tfx table has a conversion type of U_EX. The conversion type field is 4 char long and should be five to define a common conversion type of u_exp.

NCR ID: ECSed04023
Software: DMS
Title: 6th and 7th order polynom. defined as 5th order are passing validation
Severity: 2
Problem: If a user defines a parameter as 5th order polynomial in the conv_type field of tlm_calcurve_pdb but gives it a conversion number that is associated with a 6th or 7th order polynomial in tlm_polyconv_pdb, the parameter passes validation and truncates the coefficients to make the parameter a 5th order poly.

NCR ID: ECSed04025
Software: DMS
Title: Param not marked as static after a master cycle for standby
Severity: 2
Problem: Paramaters did not go static after the master cycle when the user sent standby telemetry. It appears that FOS is waiting for 64 packets with no update to the parameter even though standby telemetry has only 32 packets in the master F-TLM-00625.

NCR ID: ECSed04071
Software: CMD
Title: Valid Submnemonic values flag subfield value error
Severity: 2
Problem: Entered a command with a valid submnemonic and the system returned a subfield value error. The value of the submnemonic entered was 135 The database has the range from 0.0 to 255.0 defined for the submnemonic and the same error occurred.

NCR ID: ECSed04086
Software: FUI
Title: Format of data entry not given in load generator window
Severity: 2
Problem: Within load generator window, the format of start & stop times are not indicated on display or through an error message.

This is an copy of NCR 3588

NCR ID: ECSed04232
Software: FUI
Title: Can't display Q-channel telemetry values
Severity: 2
Problem: Can't display Q-channel telemetry via alphanumerics-(alphas cannot key into Q-channel data)
F-TLM-10125

NCR ID: ECSed04297
Software: CMD
Title: More than 2 cmds with submnemonics crashes format
Severity: 2
Problem: When two consecutive commands with submnemonics are entered in the ground script, the first one executes properly but the second one causes the command format task to exit on failure.

NCR ID: ECSed04298
Software: DMS
Title: event logger hangs in command format
Severity: 2
Problem: When the command format task sends event messages containing command mnemonics, certain mnemonics cause the event logger to hang. One possible conjectured cause is the size of the string. This in turn causes the command format task to hang, and no further commands can be sent.

NCR ID: ECSed04360
Software: FUI
Title: Cannot access procedures from "procedure dialog" selection box
Severity: 2
Problem: The control window dialog boxes are inconsistent with its capabilities. Rooms, TLM wins and tools dialog boxes can access the list provided. The proc's dialog box does not allow access to the listed procs. The procs are only accessed through the proc builder tool.

Affected rqmnt F-FUI-01315

NCR ID: ECSed04370
Software: DMS
Title: During ODF generation: illegal conversion types
Severity: 2
Problem: During ODF generation, received error messages illegal conversion types U-6D, U_TD, Line. These are conversion types for 6th and 7th order polynomials and linear conversion F-TLM-00935

NCR ID: ECSed04371
Software: TLM
Title: Multi-bytes are not getting Decommed
Severity: 2
Problem: Multi-byte parameters were created. The user ran telemetry and no values were being passed to the parameter server.
F-TLM-00710
F-TLM-00715
F-TLM-00720
F-TLM-00725
F-TLM-00730
F-TLM-00735

NCR ID: ECSed04372
Software: TLM
Title: No event messages are generated when a packet is missed
Severity: 2
Problem: The user made a frequency file to send packet 1 of standby telemetry every third master cycle. When the packet was missed, no event message was displayed on the Even Display indicating that a packet was missed affects L4 reqs
TLM-00445
TLM-10445

NCR ID: ECSed04373
Software: DMS

Title: Real-time standby Q-channel data not archived
Severity: 2
Problem: All telemetry data is archived except standby Q channel

NCR ID: ECSed04376
Software: DMS
Title: Event Filtering Error
Severity: 2
Problem: An error occurs when filtering the events display with the "TLM" only option. For some reason a few "RMS" events slip through the filter and show up in the display this is incorrect. There should only be "TLM" only events displayed
RQMT F-FUI-09605

NCR ID: ECSed04383
Software: System
Title: Clocks on user stations not in sync
Severity: 2
Problem: Each user station displays a different time when the "clock" program is initiated. Also these times are different than the equivalent local times shown in the event display

For example, on Oct 31,1996 those times were displayed simultaneously:
fose5oe 8:55 est
msseoc2 9:05 est
fose8oe 8:57 est
Event display 9:00 est

NCR ID: ECSed04386
Software: FOTM
Title: Incorrect time parameter values displayed
Severity: 2
Problem: The "SDU_SCTIME" parameter in telemetry header page display shows incorrect and inconsistent time values. Within the span of one minute the values for this parameter are drastically different

NCR ID: ECSed04387
Software: FUI
Title: Mnemonic names truncated on alpha display page
Severity: 2
Problem: The mnemonics [sys_grnd_cntrl_ws_id and sys_cmd_author_ws_id] have the last character cut in half in the display window

NCR ID: ECSed04389

Software: FUI
Title: Events filtering w/out invoking "apply" button
Severity: 2
Problem: During filter operation on the events display, filter selections occur without invoking the "Apply" button. Filtering the events on the control window requires the user to invoke the "Apply" button for selections to occur

NCR ID: ECSed04399
Software: FUI
Title: GroundScript controller dies when procedure does not exist.
Severity: 2
Problem: The ground script controller dies when it tries to execute a procedure that does not exist.

NCR ID: ECSed04403
Software: System
Title: MyKill script does not work on Dec Machines
Severity: 2
Problem: initiated MyKill script and none of the processes died

NCR ID: ECSed04404
Software: FUI
Title: A new page gets saved and overwrites an old page
Severity: 2
Problem: The user opened a old page then decided to create a new page. The user selected new under the file option menu and the Display Builder was clear. After the page was created, the user clicked on save instead of save as in the pull down menu. The new page overwrote the page originally brought up

NCR ID: ECSed04406
Software: DMS
Title: In requesting an event history bulk copy printout has unreadable data
Severity: 2
Problem: The bulk copy command used to get event history report outputs unreadable data in field that displays the DOY and timestamp. In addition the fields that display the event type and subsystem type are missing from the output please add to output

NCR ID: ECSed04410
Software: FUI
Title: Run-Time exception error upon alpha page display
Severity: 2
Problem: A/N page displays are not coming up. Symptom is that the message "run-time exception error..." appears. Maybe linked to max # of IPC connections reached

NCR ID: ECSed04411
Software: CMD
Title: Command event messages not appearing
Severity: 2
Problem: When a cmd is executed no format event messages are being generated i.e.,
Binary
command ...successfully validated
command....not critical
passed submnemonic check
etc
F-CMD-02240
F-CMD-03135
possibly others

NCR ID: ECSed04412
Software: FUI
Title: Real-time graphs- No format capabilities for graphs
Severity: 2
Problem: The user has no way of customizing the graph. The only thing the user can do is pick the parameters to be displayed on the graph.
F-FUI-07350
07355
07380
07385
07390
07391

NCR ID: ECSed04413
Software: ANA
Title: Stand-by parameters not getting submitted in analysis request
Severity: 2
Problem: Submitted an analysis request with standby parameters. Analysis request completed successfully but the data set was empty. Checked TLM archive file and the time frame for the request was correct

NCR ID: ECSed04414
Software: DMS
Title: EDS mnemonics have the same FOS Pids
Severity: 2
Problem: The user submitted an Analysis Request and FuAnHandler died. Noticed that the EDS parameters used had an associated SDU parameter. Looked at the parameter definitions and all EDS parameters that had an associated SDU parameter had a FOS PID = 4010.

NCR ID: ECSed04415
Software: FUI
Title: Room builder process hangs up; preventing access to any room
Severity: 2
Problem: Define a room and saved the room, attempted to an event display in the room, attempted to leave that room and go to another room (userevent room) rec'd an error (see attached) was not able to access any other room definitions when user attempted to do so the cmd control window crashed.
F-FUI-01165

NCR ID: ECSed04416
Software: FUI
Title: Unable to filter on instrument
Severity: 2
Problem: Requirement # F-FUI-090605: F-FUI-03230 The filtering option # instrument Is not available from either the EVENT DISPLAY or the EVENT HISTORY REQUEST. This option is not available.

NCR ID: ECSed04417
Software: FUI
Title: Table load builder display crashes
Severity: 2
Problem: When user brings up the table template selection(in the table builder) selected spacecraft and then selected subsystem and then reselected S/C id, the window crashed. User was able to bring the window backup.User was able to repeat this 5 time

NCR ID: ECSed04418
Software: FUI
Title: Unable to filter on ground system
Severity: 2
Problem: Requirement F-FUI-03220 F0FUI-09605 states that the FOS shell provide the capability to filter on ground system from either the EVENT DISPLAY or through the EVENT HISTORY REQUEST, this option is not available.

NCR ID: ECSed04419
Software: FUI
Title: Received Syntax error entering cmd submnemonic w/o assigning a value
Severity: 2
Problem: Entered a cmd submnemonic w/o specifying a value, rec'd a syntax error from the parser. Entered the same cmd w/submnemonic assigned a value, it was accepted by parser.

NCR ID: ECSed04420
Software: FUI
Title: PROC Builder will not accept a logical operator
Severity: 2
Problem: Inserting the logical operator & within a statement results in an failure during syntax check. See Attachments F-FUI-01585

NCR ID: ECSed04421
Software: RCM
Title: Unable to recieve "Status and Disposition" messages
Severity: 2
Problem: After invoking NCC ECL directives, the status and Disposition displays should increment by 1, this is not happening. Displays were built @ EOC and have the AM1 operational defaults. I also used the mnemonics "GCM_GS & GCM_GD"

NCR ID: ECSed04422
Software: PAS
Title: Unable to receive ASTER activities
Severity: 2
Problem: Unable to receive ASTER activities: directory isn't polled correctly

NCR ID: ECSed04424
Software: FUI
Title: Table load builder doesn't check for user authorization
Severity: 2
Problem: Table load builder doesn't check affects rqts: F-FUI-05100 05120

NCR ID: ECSed04426
Software: FUI
Title: Table loads can not be imported from Table load builder
Severity: 2
Problem: Table loads can not be imported into table load builder.

F-CMS-01025
01028
01029

NCR ID: ECSed04428
Software: FUI
Title: Real-time graphs graph continues to scroll after data stops
Severity: 2

Problem: The graph continues to update after data stops. The graph should stop plotting if there is no data.

NCR ID: ECSed04429

Software: FUI

Title: Real-time graphs y axis re-draws but display doesn't change

Severity: 2

Problem: The y-axis starts out going from 0 to 1. If the first plot is 1, a line segment is drawn up to 1. The y axis re-draws to go from 0 to 40 but the segment stays on the graph.

NCR ID: ECSed04430

Software: FUI

Title: Real-time tables can't remove parameter in display builder, frm a tbl

Severity: 2

Problem: The user can't remove parameters from a table. The first parameter is removed but the user is unable to select a second parameter to remove.

NCR ID: ECSed04432

Software: DMS

Title: Not all telemetry definitions are contained in the database

Severity: 2

Problem: odf software can't handle 6th and 7th order polynomials. derived parameters and context dependent definitions are release B capability (note: See F-DMS-00120)

NCR ID: ECSed04433

Software: FUI

Title: Unable to reconnect to a display page(CFGOPS1)

Severity: 2

Problem: In RCM-2000A the test requires that you can cycle through the ops, test, and back to ops logical strings. The string connection works according to the events display, but the display page will not open for a second time. Problem discussed with R.Broome, apparently a problem that isn't related to just this page, it could have been any page.

NCR ID: ECSed04435

Software: FUI

Title: Can't display tlm. param.values in specific format

Severity: 2

Problem: Can't display tlm params in decoded or raw format, hex, binary, octal
F-FUI-07225 F-FUI-07230

NCR ID: ECSed04437

Software: FUI

Title: Standby telemetry values displayed on "stby only" page, but not on "T
Severity: 2
Problem: When running standby telemetry from the A2 TLM driver, values for standby parameters were displayed only in the "stby only" page, not in the "TLMDecom" or EUconv" windows
Note: may be related to 4438 and 4440

NCR ID: ECSed04438
Software: FUI
Title: Telemetry pages updated with values on msseocz, but not on fose8oe
Severity: 2
Problem: When running standby telemetry from the AZTLM driver on fose8oe, the "TLMDecom" and "EUConv" pages on Fose8oe were never updated; however, the same pages on msseocz were updated frequently. Similarly for housekeeping and health and safety telemetry data, the pages on msseocz were updated regularly , but not those on fose8oe
note: may be related to NCRs 4437 and 4440

NCR ID: ECSed04439
Software: ANA
Title: No notification for mnemonics not in the analysis reqstd time frame
Severity: 2
Problem: Standby parameters are not historically decommmed. There was no notification message that the parameter did not exist in the time frame
F-ANA-03040

NCR ID: ECSed04440
Software: FUI
Title: Realtime graphs-parameters that do not get updated appear on graph
Severity: 2
Problem: The user placed a standby parameter on the graph, flowed Health and Safety data and the standby parameter appeared Note: may be related to NCRs 4437 and 4438
F-FUI-07398

NCR ID: ECSed04446
Software: TLM
Title: Assigned limit values cut off on event display
Severity: 2
Problem: Limit msgs not showing all limits information this coupled w/the fact that the mnemonic name is not displayed, keeps the test team from verifying the following:
F-TLM-01040
F-TLM-01055
F-TLM-01110
F-TLM-01125

NCR ID: ECSed04448
Software: ANA
Title: Carry-out file doesn't match SAS ICD
Severity: 2
Problem: Carryout file does not match ICD between ECS and AM-1 S/C Analysis system 505-41-38 (pg 5-2; 5-3) Field D3 and D4 not provided.

NCR ID: ECSed04449
Software: ANA
Title: Can't specify data source for historical analysis requests
Severity: 2
Problem: Data source is not a valid option when building an historical request
F-DMS-00770

NCR ID: ECSed04451
Software: ANA
Title: Interval type not in statistics report
Severity: 2
Problem: The interval type of the MMM statistics report is not available.
F-ANA-04320

NCR ID: ECSed04452
Software: FUI
Title: There are no FUI capabilities to view the request queue
Severity: 2
Problem: The user has no way of seeing the status or percentage complete of an analysis request except through sybase. There are no FUI capabilities for this. F-ANA-08030
F-ANA-08040 F-ANA-0850

NCR ID: ECSed04454
Software: CMS
Title: Inhibit identifier for RTS loads are all zero
Severity: 2
Problem: Dumped an uplink load file for a RTS load generated. Using ICD106 determined that the inhibit identifier breaks down to all zeros.

NCR ID: ECSed04456
Software: CMS
Title: Time tag converts improperly
Severity: 2

Problem: Dumped uplink file for a RTS load generated. Using ICD106 converted time tag to binary and determined the time tag did not convert properly.

NCR ID: ECSed04458

Software: System

Title: fose8oe & fose90e: Terminals black out

Severity: 2

Problem: The terminals seem to black out for a few minutes occasionally. This has happened several times. Nothing could be done to bring the display back.

NCR ID: ECSed04473

Software: CMD

Title: packets built on dec have swapped bytes

Severity: 2

Problem: Please describe the problem you are experiencing below, including what you did, what you expected to happen, and what actually happened: Because of the DEC byte ordering command packets built on a DEC platform have swapped bytes and are therefore built incorrectly.

NCR ID: ECSed01948

Software: FUI-B

Title: 13th window in room

Severity: 3

Problem: A room can contain between 0 and 12 windows in a single room. While defining a room, a 13th window was added without error. The system crashed when this room was recalled and the windows came up without a number in the title (e.g. EventDisplay[3] - the 3 was missing).

NCR ID: ECSed01958

Software: FUI-B

Title: ECL Directive DROPOUT <tlm type>

Severity: 3

Problem: ECL Directive DROPOUT accepted anything entered as the <tlm type>. Expected the tlm type would be restricted to only valid types.

NCR ID: ECSed01961

Software: DMS-B

Title: ODF Generation Results

Severity: 3

Problem: Upon completion of ODF generation complete, the user receives a minimal amount of information as to the success of the generation. The process should generate ODF report or logfile that provides information to the user.

NCR ID: ECSed01995
Software: FUI-B
Title: Search string option searches prior to APPLY
Severity: 3
Problem: When Search option is selected on EventDisplay (versus Filter option), the search is initiated right away as opposed to allowing the user to input the string to search on and then invoking 'Apply'. The Filter option allows the user to input the string to filter on and then invoke 'Apply'. Would have expected Search to begin searching only after the user invokes 'Apply'.

NCR ID: ECSed01998
Software: FUI-B
Title: Window numbers are wrong
Severity: 3
Problem: If multiple EventDisplay windows are brought up they have a number, in brackets, in the title to indicate the number of windows showing with the same title. This number sometimes starts with three or five, not always one. Along the same lines, when a new room is entered, this number does not reset which gives an inaccurate count of the number of windows showing.

NCR ID: ECSed02393
Software: DMS
Title: Event definition include files using a /home directory
Severity: 3
Problem: Event definition include files are being put in /home/dpeters, then copied by the subsystems. These need to be in a configuration controlled area.

NCR ID: ECSed02394
Software: DMS ODF
Title: Event ODF needs to be recompiled without debug
Severity: 3
Problem: All code in the event ODF test needs to be recompiled without debug

NCR ID: ECSed02395
Software: PAS-B
Title: FpTl Timeline appears to core dump on normal exit DEC
Severity: 3
Problem: When the exit option on the first menu was selected on the timeline (running on the HP), it appeared to core dump (core file was left over). Also the following message appeared on the screen: X Toolkit Error: Object "tl" does not have windowed ancestor inst fault=4, status word=8, pc=140045238

NCR ID: ECSed02406
Software: PAS-B
Title: FpTl Data Buffer color change
Severity: 3
Problem: On timon (HP), { will recheck on other platforms} When changing the color resources for the different activities and modes, the data buffer resource does not update immediately after clicking Apply in the color palette dialog. Does refresh after refresh of timeline.

NCR ID: ECSed02410
Software: PAS-B
Title: FpTl Time scroll implementation incorrect
Severity: 3
Problem: The time scroll bar jumps every 1/5 of 12 hours. (i.e.) if start at 00:00:00, then 02:24:00, then 04:48:00, then 07:12:00, then 09:36:00, then 12:00:00. Because of this, the 5/10/30 minutes time intervals do not scroll properly, and the other time intervals do not scroll smoothly.

NCR ID: ECSed02436
Software: PAS-B
Title: FpTl TimeLine's plan pool doesn't get updated for a new plan
Severity: 3
Problem: We modified the timeline to use the plan pool to get new plans. But the plan pool in the time line never gets updated, so new plans are never seen. This only affects the filter scheduler.

NCR ID: ECSed02450
Software: PAS-B
Title: FpTl SSR update and summation of data doesn't always work
Severity: 3
Problem: The timeline doesn't always update or sum up the total solid state recorder usage for all of the activities that have been scheduled.

NCR ID: ECSed02499
Software: PAS-B
Title: FpAd only sends startup/shutdown messages
Severity: 3
Problem: The Activity definer only sends startup & shutdown messages to the event handler. It should be sending messages whenever significant actions take place.

NCR ID: ECSed02501
Software: PAS-B
Title: FpBd only sends startup/shutdown messages

Severity: 3
Problem: The BAP definer only sends startup & shutdown messages to the event handler. It should be sending messages whenever significant actions take place.

NCR ID: ECSed02502
Software: PAS-B
Title: FpLq only sends startup/shutdown messages
Severity: 3
Problem: The Load Queuer only sends startup & shutdown messages to the event handler. It should be sending messages whenever significant actions take place.

NCR ID: ECSed02503
Software: PAS-B
Title: FpFs only sends startup/shutdown messages
Severity: 3
Problem: The Aster Filter only sends startup & shutdown messages to the event handler. It should be sending messages whenever significant actions take place

NCR ID: ECSed02504
Software: PAS-B
Title: FpGs only sends startup/shutdown messages
Severity: 3
Problem: The General Scheduler only sends startup & shutdown messages to the event handler. It should be sending messages whenever significant actions take place.

NCR ID: ECSed02570
Software: RCM
Title: RCM archive status needs to be displayable
Severity: 3
Problem: Even though reconfiguration of the archive flag will not be possible until Release B, it would be helpful for the users to know when to expect archive output.

NCR ID: ECSed02619
Software: FOS
Title: FOS-services file should be replaced for B1
Severity: 3
Problem: Release A uses a file, FOS-services, to establish port numbers and hosts. A less cumbersome method needs to be found for Release B1.

NCR ID: ECSed02625
Software: DB scripts-injest
Title: Process for adding FOT-generated data needs to change workaround

Severity: 3
Problem: The process for getting FOT-generated additions to the PDB into the database did not work for new cmd_vardata file.

NCR ID: ECSed02666
Software: PAS-B
Title: FpTl PAS Timeline Gives Unnecessary Debug TIRsEditor
Severity: 3
Problem: When adding a new resource to the timeline to be displayed using the User Setup menu and Resources... submenu, the timeline processes give the following debug messages:
"FpTIRsEditor::applyChanges applying resource edits"
"FpTIRsEditor::applyChanges edits completed"

NCR ID: ECSed02690
Software: TLM
Title: Decom is not processing all packets sent from the Generator
Severity: 3
Problem: Decom reports missing packets, usually in groups of 6-8. The Driver was sending 1 telemetry packet every 2 seconds.

NCR ID: ECSed02707
Software: FUI-B
Title: Event numbers should be shown with the event message
Severity: 3
Problem: Event numbers should be provided with event messages displayed on the Event Display and Control Window for to allow for additional information to be gathered regarding the event. Such as, use the event number to search the Event Database.

NCR ID: ECSed02804
Software: PAS-B
Title: FpAd Activity Definer created w/o name, then save as failed
Severity: 3
Problem: specified new without a name for the activity, seleted AM1 resource. Once I defined the commands in the activity, I selected save as, so I could name the activity appropriately. The save as issued the following warning:
Save Failed: No activity or resource specified.
I could not save the activity.

NCR ID: ECSed02806
Software: CMS/FOS
Title: ATC load name incorrectly specified
Severity: 3

Problem: Selected das for day 216. The load name indicated 218. This could be related to the RW time utility conversions. This was generated on day 215(?) (8/1/96) We should probably be using the DAS id /version number. When multiple DASs are sent to cms the load files will be overwritten, because they will have the same name

NCR ID: ECSed02819

Software: DMS

Title: DMS Dependent On FUI and TLM Private Classes For ODF Generation

Severity: 3

Problem: As a result of the "re-VOBing" effort, it was uncovered that DMS is dependent on both FUI and TLM private classes for some ODF generation. This goes against the rules that any code/class that is shared by more than one subsystem is common code, and must therefore reside in the common VOB. Some action must be taken by DMS, FUI and TLM to eliminate these dependencies. It should be noted that in both of these cases, these ODF files are used exclusively by either FUI (SelectionFilter ODF) or TLM (Decom ODF). There are two possible solutions:

- 1) The subsystem takes over responsibility for the code to generate the ODFs. This would eliminate DMS's dependency on the other subsystems and give the subsystem's control of their own ODF files.
- 2) The FUI and TLM private code is moved to the Common Area. One thing to keep in mind is that this code is not really common. The only reason DMS must access this code is to generate the ODFs, which really means pulling the date pieces of data out of SYBASE. The ODFs are used exclusively by FUI or TLM. So this is not really a open and stuff common code issue.

NCR ID: ECSed02833

Software: PAS-B

Title: FpLq Load Queuer did not use activities within DAS boundry

Severity: 3

Problem: Brenda scheduled several activities on day 1996/220, timeline showed they were scheduled correctly. She then requested a DAS for 8/7/96 and none of the activities appeared in the DAS. She then changed the request to be for 1995-1999 and the activities did appear.

NCR ID: ECSed02835

Software: FUI-B

Title: Environment Controller Does Not Use \$BIN_DIR When Starting Processes

Severity: 3

Problem: Environment Controller does not use the \$BIN_DIR path when starting executables. As a result if EC is not started in the directory where the processes reside or the directory is not the "path" then EC will not be able to start the application. A simple solution to this problem is for EC to use \$BIN_DIR when starting the executables. This is not critical because \$BIN_DIR is automatically added to the "path" when

FosEnvVars is sourced when running the startup scripts. However, that is a work around to EC's problem.

NCR ID: ECSed02839
Software: FUI-B
Title: Environment Controller Does Not Register A Service With NameServer
Severity: 3
Problem: The Environment Controller does not register a "Service" with the NameServer. It needs to do so.

NCR ID: ECSed02841
Software: FUI-B
Title: Environment Controller Successive Pages Getting Wrong Position/Size
Severity: 3
Problem: If a page is brought up, moved and/or resized, and then the same type of page is brought up in the same room, like two Event Displays, the second page will be moved and resized to match the first window. The second window should be moved and sized to its DEFAULT position/size.

NCR ID: ECSed02842
Software: FUI-B
Title: Load Manager Does Not Have A Menu Bar
Severity: 3
Problem: The Load Manager window is a persistent page that is manipulated by the Room Controller, therefore it should have a Menu Bar at the top of the page with File and Help pulldown menus. It should not be designed like a dialog box with "Close" and "Help" buttons at the bottom.

NCR ID: ECSed02843
Software: FUI-B
Title: FUI Process Names Do Not Follow Naming Convention
Severity: 3
Problem: Most FUI process names do not begin with FuXx (EC, DynamicPage, RegCtrlWin, etc.). FUI must rename the offending processes. This renaming will effect data files, startup scripts, Makefiles, etc., so it should be done along with B1 development.

NCR ID: ECSed02854
Software: Cmd Control
Title: Hard-coded filename
Severity: 3

Problem: CmdControl currently saves a dumpfile (which contains a list of as- executed directives) using a hard-coded file name and default working directory. This should be changed to use environment variables.

NCR ID: ECSed02855

Software: FUI-B

Title: Implement procedure controller proxy for KILL Directive

Severity: 3

Problem: The KILL directive needs to be implemented to perform a KILL-procedure operation. This can be done by calling the procedure controller proxy from the FuCIYaccy code.

NCR ID: ECSed02862

Software: FUI-B

Title: Does Not Allow Only A User Statistics Request

Severity: 3

Problem: The FuAnBuilder will not submit just a User Statistics request. All parameters requested in the user statistics dataset automatically appear in the request for a telemetry dataset.

NCR ID: ECSed03008

Software: PAS-B

Title: FpAd Activity Name Erroneously Appears on Delete Screen

Severity: 3

Problem:

NCR ID: ECSed03009

Software: PAS-B

Title: FpAd Delete screen has a blank line that is selectable

Severity: 3

Problem: If no activity is selected and the "Delete" option is selected from the Edit menu, the selection list on the delete screen contains a blank field that is selectable.

NCR ID: ECSed03021

Software: PAS-B

Title: FpTl doesn't give shutdown message upon exit

Severity: 3

Problem: Upon shutting down the timeline, an event message was not generated for shutdown.

NCR ID: ECSed03027

Software: PAS-B

Title: FpTl Resource List Not Alphabetized

Severity: 3
Problem: When adding a resource to be displayed on the timeline from the list of available resources (under "User Setup" and submenu "Resources..."), it would be helpful if the list (under "Available Resources") were in alphabetical order to find it easier.

NCR ID: ECSed03028
Software: PAS-B
Title: FpTl Help button doesn't appear in right position on Menu Bar
Severity: 3
Problem: Help button doesn't appear in rightmost position on menu bar.

NCR ID: ECSed03033
Software: FUI-B
Title: Manual directives are inserted before the current directive
Severity: 3
Problem: When manual directives are entered, they are inserted into the ground script before the current directive, even if this directive has already been sent. Manual directives should only be inserted prior to the current directive if the directive has not yet reached its execution time.

NCR ID: ECSed03037
Software: FUI-B
Title: Table Load Builder does not handle empty table template response
Severity: 3
Problem: Table Load Builder does not handle the situation where an empty container of table templates is returned by the TableDefServer. The container was empty because the data base had not been populated.

NCR ID: ECSed03064
Software: PAS
Title: FpGs Core Dumps Upon Parm Modification, Schedule, Parm Modification
Severity: 3
Problem: Run the General Scheduler and choose an activity on a resource that contains a modifiable parameter (preferably an integer or float value). Go to the Command Parameters... option beneath the Edit menu. Select the command containing the modifiable parameters and then select one of the parameters in the Parameters window in the lower left corner. Modify this parameters value by specifying a valid value in the Current Value text field beneath the Parameter Type label. Hit the Apply button first and then hit the Ok button. The Parameters window disappears. Now schedule the activity containing the command with the modified parameter. Go back to the Command Parameters window and modify a parameter within the same command as before. As soon as the Apply button and Ok button are pressed the General Scheduler dies.

Workaround: After scheduling the activity with the command that contains the modified parameter, do not immediately update a parameter field for the same activity. Schedule or modify a command parameter for a different activity.

NCR ID: ECSed03079
Software: FOS Common S/W
Title: FoIpProxyBase Deep Copy Constructor isn't very deep.
Severity: 3
Problem: The FoIpProxyBase class contains a deep copy constructor that doesn't create a new portal for the attribute myPortal. This was crashing FrGrStringMgr. After talking to Ken Fregeolle, I learned that we shouldn't be using any copy constructors for the proxies. Since we shouldn't use them, and there's problems with them if we do, I suggest that we remove the copy constructors from any proxy base classes. Otherwise, they may be used in future development and cause problems later.

NCR ID: ECSed03123
Software: PAS-B
Title: FpAd allows complex activity to be defined using itself
Severity: 3
Problem: Activity Definer allows complex activity to be defined using itself. This recursive activity would cause problems.

NCR ID: ECSed03154
Software: DMS
Title: Queue Manager can send Blank FaReAnalysisRequest
Severity: 3
Problem: The DMS Queue Manager saves each FaReAnalysisRequest it receives to a file. If the directory permissions allow no writing, then the QueueMgr will read a blank request from a non-existent file when it sends the request to the Request Manager. The FaRmRequestManagerProxy should check that a request is valid before it sends it. Also, even though theoretically reach the FaAcCruncher, it does not clearly state to the user that the request was aborted because there was no data in it

NCR ID: ECSed03155
Software: ANA/FUI
Title: UserStats Dataset name
Severity: 3
Problem: The FaReAnalysisRequest has a member RWCString intended to hold the filename for the Userstats filename. The FaAcCruncher will append a ".stats" string to the filename, so the filename for the TLM dataset may be sufficient. However, the best solution is to give the user the option to use a different name, and then just use the TLM dataset filename if the User Stats filename is blank. This is what the FaAcCruncher will do, but the FuAnBuilder needs to eventually give the user the option to choose their own name.

NCR ID: ECSed03176
Software: SYSTEM
Title: CM and document operator .cshrc and .Xdefaults
Severity: 3
Problem: Environmental files, such as .Xdefaults and .cshrc, which contain definitions needed by a FOS operator's account need to be placed under CM and documented. The documentation - possibly in the User M

NCR ID: ECSed03183
Software: DMS
Title: Loss of FOT changes in the FOS Database
Severity: 3
Problem: When I&T data is loaded into the unvalidated tables, the tables are truncated prior to the load. The FOT data should not be deleted from these tables, and therefore a delete should be used instead.

During the PDB Validation process, the FOT source field in the PDB tables is not selected during the validation process when moving data between the am1_fos_unv and am1_fos_val databases. It is therefore marked as 'I&T' when moved into the am1_fos_val database. It needs to be selected so that this info is retained in the am1_fos_val and am1_fos_ops tables for reporting purposes.

NCR ID: ECSed03254
Software: PAS-B
Title: ECL Directive Selection Field Missing
Severity: 3
Problem: The 'ECL Directives' selection from the options menu resulted in an empty selection field. Expected a list of valid ECL Directives for inclusion in the activity being built.

This may be a release B capability!?

NCR ID: ECSed03261
Software: PAS-B
Title: List command description in Activity Definer
Severity: 3
Problem: List command description along with the command mnemonic in Activity Definer Tool. This NCR has been accepted on an 'enhancement' basis.

NCR ID: ECSed03262
Software: DMS
Title: Incomplete command list for MODIS
Severity: 3

Problem: Activity Definer Command Window listed only 2 of 13 expected commands. Commands may not of passed PDB validation for various reasons. In which case this is not a software problem.

NCR ID: ECSed03263

Software: PAS-B

Title: Non-MODIS commands in MODIS cmd list

Severity: 3

Problem: Activity Definer Command Window listed many non-MODIS commands and allowed these commands to be included in the MODIS activity.

NCR ID: ECSed03264

Software: PAS-B

Title: Missing Date/Time Format in Activity Definer

Severity: 3

Problem: In many of the Activity Definer windows, there is no indication as to the required format for entering the date and time. Formats should be included in the window. Currently, the user only receives the correct format after entering an erroneous format.

NCR ID: ECSed03266

Software: PAS-B

Title: 'Apply' Confirmation message

Severity: 3

Problem: User does not receive a confirmation that the 'Apply' option executed successfully in most of the PAS windows.

NCR ID: ECSed03267

Software: PAS-B

Title: Missing MODIS Modes

Severity: 3

Problem: In 'Modes' window for MODIS, 'Calibration/SD View' and 'Calibration/SRC' were not listed as available modes. Test conductor expected them to appear in the list.

NCR ID: ECSed03268

Software: PAS-B

Title: Commands not listed in alphabetical order

Severity: 3

Problem: Activity Definer Command Window displays commands that are not in alphabetical order. Given that all subsystem/instrument commands are listed together and no search capability is available, alphabetized order is necessary.

NCR ID: ECSed03269
Software: PAS-B
Title: Incorrect Window Titles
Severity: 3
Problem: 'Activity List' window incorrectly titled 'BAP Definer'
'Scheduling Info' window.....titled 'BAP Definer'
'Command Parameters window.....titled 'BAP Definer'

NCR ID: ECSed03270
Software: PAS-B
Title: 'Save As' file not displayed
Severity: 3
Problem: 'Save As' option saved BAP correctly, however, the new BAP name was not reflected in the list of available BAPs.

NCR ID: ECSed03271
Software: PAS
Title: BAP Definer Crashed
Severity: 3
Problem: BAP Definer crashed when we set sequence=3 and Event=SUNSET within the Scheduling Information window.

NCR ID: ECSed03273
Software: PAS-B
Title: Timeline does not display time in GMT
Severity: 3
Problem: Timeline display of time is not in GMT. This is inconsistent with General Scheduler display in GMT.

NCR ID: ECSed03279
Software: FUI-B
Title: Time Selector displays 1 minute as 60 seconds
Severity: 3
Problem: Time Selector display does not 'roll over' to next minute. Example: 01:05:00 is displayed as 01:04:60

NCR ID: ECSed03281
Software: FUI-B
Title: Time Selector - North equator crossing event
Severity: 3
Problem: Option to select North equator or South equator crossing not available in Time Selector event field.

NCR ID: ECSed03282
Software: FUI-B
Title: Time Selector error message vague
Severity: 3
Problem: If an invalid value is entered in the orbit, sequence or frequency field, an error message reports an invalid integer or floating point, but does not indicate which field is in error.

NCR ID: ECSed03283
Software: FUI-B
Title: Time Selector (interval selector) needs additional fields
Severity: 3
Problem: the interval time selector does not have both an orbit and sequence field when entering an event. It only has one unlabeled field

NCR ID: ECSed03308
Software: PAS-B
Title: Cannot delete letters which have scrolled past widget
Severity: 3
Problem: I was using the activity definer to create a new activity. This activity had a particularly long name and so the first letters began to happily scroll out of sight as I typed the latter letters. Suddenly, I realized this was not the activity name I wanted at all, so I began to backspace to delete the entire name. When I had backspaced as far as I could go and the naming window was seemingly blank, I entered the new activity name and selected OK. To my dismay, I noticed in the main window that my activity name started with the first letters of the ill-fated initial activity name. What clearly needs to happen is for the backspace to continue to access and delete letters which have scrolled out of sight.

NCR ID: ECSed03317
Software: FUI-B
Title: DATABASEID needs to be optional for the STRING CREATE directive
Severity: 3
Problem: FUI needs to make the DATABASEID field optional within the STRING CREATE directive because there is a requirement stating that the default database ID is the current database ID. Currently, there really isn't a default database ID when the user always has to enter one.

NCR ID: ECSed03324
Software: PAS-B
Title: Closing deleted activities in the application window
Severity: 3

Problem: Using the activity definer an activity is selected and is displayed in the application window. It is then decided that the activity had better be deleted. "Delete" is selected, the activity is selected and deleted. The activity is deleted from the list of activities in the "delete" window, however it remains open in the main application window. I think that once the activity has been deleted it should close itself in the main application window. Otherwise this becomes confusing to the user. Was it deleted? Why is it still here?

NCR ID: ECSed03374

Software: FUI-B

Title: Time Display Format

Severity: 3

Problem: In "Analysis Request Builder" window, "selected Telemetry" field, "statistics Rate" column, the time should be displayed in minutes- and-seconds when the time is 60 seconds (1 minute) or more.

NCR ID: ECSed03452

Software: FUI/DMS-B

Title: Event Display Filtering Option

Severity: 3

Problem: Spacecraft sub-systems & ground subsystems need to be separate event filters currently one or separate into separate columns - Also add "EDOS" as and Ground subsystem selection.

NCR ID: ECSed03455

Software: FUI-B

Title: 'Save As' Proc Builder #3

Severity: 3

Problem: No cursor shown in text field for entering file name.

NCR ID: ECSed03457

Software: FUI-B

Title: Data Source Management

Severity: 3

Problem: Selection of Data Source Management brings about a page called "Dynamic Page Data Source".

NCR ID: ECSed03466

Software: HW

Title: R/T Server Cabinet Height

Severity: 3

Problem: Realtime server cabinet is short. Requirement F-HRD-02075. The cabinet shall provide a minimum of 48 vertical units (1 unit = 1.75 inch) of equipment mounting height.

Issue: There is only 60 inches of equipment mounting height.

NCR ID: ECSed03468
Software: HW
Title: Workstation Screen
Severity: 3
Problem: Requirement is 19 inch diagonal non-glare screen. The screen measures 18 inches.

NCR ID: ECSed03490
Software: FUI-B
Title: No event messages generated when load manager window init failed
Severity: 3
Problem: No events messages were displayed when the attempt to invoke load manager display failed.

NCR ID: ECSed03492
Software: System
Title: FosEnvVars not sourced
Severity: 3
Problem: FosEnvVars should be sourced automatically with the startup scripts. It is located in the startup script but it is not getting sourced. Tried to echo some of the Environment Variables in FOSEnvVars but they came up as undefined - needs to be sourced in order for display pages to become active.

NCR ID: ECSed03498
Software: FUI
Title: Finding Parameters does not work
Severity: 3
Problem: In the Data Source Dialog window the Find option within the available parameters list does not work.

NCR ID: ECSed03504
Software: FUI-B
Title: FUI Control Window Iconify Wrong Name
Severity: 3
Problem: When the Control Window is iconified, the name of the icon is toplevelshellreg. It should have something to do with the Control Window so it is easier to find.

NCR ID: ECSed03514
Software: FUI-B
Title: Display Builder Corruption
Severity: 3

Problem: On the display builder, a field or label can be placed anywhere on the screen. It will be transferred to the display page but an outline remains in the original spot.

NCR ID: ECSed03531

Software: FUI-B

Title: Selection Filter-Selected parameter not reset

Severity: 3

Problem: When using the display builder, a parameter is selected for a field in the display window. When the next field is chosen and a parameter is selected, the previous parameter will remain as the selected parameter until the user deselects it.

NCR ID: ECSed03581

Software: DMS

Title: Incorrect spelling in RCM-2000A error msg defined in GCMR ODF

Severity: 3

Problem: After entering the GCMR RECONFIG SSA forward Link Command the returned error message has an incorrect spelling. Reads > Forward Service is no in operation Should Read > Forward service is not in operation

NCR ID: ECSed03582

Software: FUI

Title: Incomplete error message during load generation

Severity: 3

Problem: During execution of the load generator window, error message indicated 'Invalid data in micro Load generation request'. The actual reason for invalid data is not presented.

NCR ID: ECSed03583

Software: FUI

Title: No Status or Confirmation msg. for an ingested file

Severity: 3

Problem: There is no confirmation or status message indicated when the load file is ingested into the load manager.

NCR ID: ECSed03584

Software: FUI

Title: No Status or error msg for ingesting non-existing file

Severity: 3

Problem: There is no error or status message indicated when a non-existing file is chosen to be ingested into the load manager.

NCR ID: ECSed03592

Software: FUI

Title: Cursor missing in load ingest window for file selection
Severity: 3
Problem: There is no cursor in the filter and selection input fields of the load ingest window.

NCR ID: ECSed03698
Software: FUI-B
Title: The control window truncates event messages containing commas.
Severity: 3
Problem: I expect the control window to display the entire event text message. However because commas are a delimiter in the control window event display table, events containing commas will be truncated at t

NCR ID: ECSed03816
Software: FUI
Title: Event messages displayed in control window not in event display
Severity: 3
Problem: The realtime server and data server and a userstation was up and running, brought up a userstation however the events from that userstation were displayed in the control window and not on the event display. Closed and reopened event display and user was able to see the second user's events.

NCR ID: ECSed03898
Software: FUI
Title: Analysis Request: Selected times & selected telemetry not fully displ
Severity: 3
Problem: The times and telemetry, in the Analysis Request Builder window, are cut off. The table fields are not big enough.

NCR ID: ECSed03899
Software: FUI
Title: Selecting Stats: have to enter on interval before stats are selected
Severity: 3
Problem: If the icon to select statistics is clicked, an error message is displayed indicating an invalid interval time chosen. The user must enter a time, click on the statistics icon and then select it.

NCR ID: ECSed03901
Software: FUI
Title: Analysis Request: Good Data only is not the default
Severity: 3
Problem: F-ANA-03070 The default data selection for an analysis request should be good data only but it is all data.

NCR ID: ECSed03902
Software: FUI
Title: The Contrl windw dfault filtr is diffrent from the dflt in selct windw
Severity: 3
Problem: The default event filter in the control window is show for all and no bold. If the filter button is clicked on to change filters, the selection filter window appears with none selected.

NCR ID: ECSed03903
Software: FUI
Title: Contrl windw evnts font changes for bold option
Severity: 3
Problem: The font for the Control window events is different for show only and show plus bold. The show/bold font is smaller.

NCR ID: ECSed03905
Software: FUI
Title: Analysis Telem Selectr: Params must be deselected
Severity: 3
Problem: After a parameter is selected for analysis, the user must deselect it before selecting the next parameter or it will be selected a second time and a message will be displayed stating that the parameter was already selected.

NCR ID: ECSed03916
Software: FUI
Title: Proc Bldr needs to send error msg when dirs are not accessible.
Severity: 3
Problem: There have been several instances when the proc directory or .Ecltemplate file or necessary odf's are not accessible. Proc Builder does not handle these instances properly (It can crash or appear to d

NCR ID: ECSed03948
Software: FUI
Title: Display Bldr need to delete 4 files to delete a page
Severity: 3
Problem: In order to delete a page, the user must delete 4 files individually. Two files in /newpages and two in /activepages. The user should be able to tell the system which page it wants deleted and all files associated with that page get deleted.

NCR ID: ECSed03968
Software: FOS
Title: No initial "No Data" flag for mnemonics
Severity: 3

Problem: Mnemonics come up with a default value of 0 instead of "No Data". All Mnemonics should have a "No Data" flag before telemetry is generated.
reference F-TLM-00610

NCR ID: ECSed03997

Software: FUI

Title: No space between mnemonic and data value

Severity: 3

Problem: On the Telemetry Header and TLM Decom pages, there is no space between the parameter mnemonic and the telemetry data value when the mnemonic is 20 characters long. There should always be at least one space to improve legibility

NCR ID: ECSed04008

Software: DMS-EventLogger

Title: Host Name for events

Severity: 3

Problem: Currently there is no way of knowing what host an event is coming from on the event display. This can be easily fixed by putting 'uname' into the EventLogger class. The EventLogger would know what host it is running on and put that into the event before sending it to the EventHandler.

NCR ID: ECSed04028

Software: FUI

Title: Incorrect syntax for CCW/CMW dialog box creates a non-userfriendly ms

Severity: 3

Problem: When users enter incorrect syntax in CCW/CMW dialog box. an error dialog box appears stating FuCmd control|Win ::InitGsProxy0 failed: CmdControl found 0 or more than 1 G/S con... This message is not user-friendly, the user has no indication that the error is due to invalid syntax

NCR ID: ECSed04044

Software: ANA

Title: FaAcCruncher needs to add an event

Severity: 3

Problem: The FaAcCruncher should send an event when no data exists for the timespan of the analysis request it is processing. Also, the Analysis Request Started event should be reworded to be more meaningful.

NCR ID: ECSed04078

Software: FUI

Title: Horizontal scroll bars in control window missing

Severity: 3

Problem: The control window no longer has a horizontal scroll bar in the "events" area; also the "message" column is smaller than before.

NCR ID: ECSed04092

Software: SYSTEM

Title: REL A requirement change initiated by GSFC CCR 505-01-41-105

Severity: 3

Problem: Requirement EOC5030#A needs to have changes made in accordance with GSFC CCR 505-01-41-105.

NCR ID: ECSed04154

Software: FOS Common

Title: clearmakes create (2) versions of same executable..

Severity: 3

Problem: The new makefile options create 2 versions of the same executable. One with the long Rogue Wave name, and then a COPY of that executable to the bin name. Since we are in such a crunch for disk space, I recommend we create a symbolic link between the two, or only create ONE executable.

NCR ID: ECSed04231

Software: FUI

Title: Find option for command does find cmd specified

Severity: 3

Problem: Attempted to use find option selected command, system did not find the CMD.

NCR ID: ECSed04328

Software: ANA FaRtDServer

Title: FaRtDServer will not run from a directory that it can not write to.

Severity: 3

Problem: The Expert Advisor Data Server (FaRtDServer) will not run from a directory that it can not write to, because it is trying to open a rwfile and fails. It also creates a log file, which will not be cre

NCR ID: ECSed04361

Software: FUI

Title: Cannot resize load-manager window

Severity: 3

Problem: Cannot resize the load manager window (F-FUI-01335)

NCR ID: ECSed04367

Software: PAS

Title: DMS-00160 level 4 requirement is unclear what is expected

Severity: 3
Problem: Level 4 requirement DMS-00160 is unclear on what the software should contain .
 Requirement states: the FOS should have the following:
 1. command list
 2. parameter mapping def.
 3. parameter limits
 (F-DMS-00160)

NCR ID: ECSed04369
Software: PAS
Title: No time is displayed w/PAS resource data on data msg line
Severity: 3
Problem: Using the mouse to indicate the resource data values does not display the exact time
 for the data value on the data display line
 F-FUI-04290
 F-PAS-00605
 F-PAS-00610

NCR ID: ECSed04385
Software: FUI
Title: Search string text on event displays is blanked out
Severity: 3
Problem: When entering text for searching events the text in the "search string" field is grayed
 out

NCR ID: ECSed04388
Software: HRD
Title: EOC test connections; Tconnections & break-out boxes
Severity: 3
Problem: T connections & break-out boxes are not part of this type of lan configuration
 HRD-06010

NCR ID: ECSed04391
Software: FUI
Title: No events msgs provided by driver for DMS, SYS and PAS
Severity: 3
Problem: During the operation of the events driver, there were no event messages for DMS,
 SYS and pas. They are needed to test full filtering capabilities

NCR ID: ECSed04393
Software: FUI
Title: Must click on tool twice in tool dialog box to select it
Severity: 3

Problem: After a tool is selected in the tools dialog box, the window closes . When the user opens it again the last tool chosen is still selected If the user wants to use another tool, the old tool is deselected on the first mouse click and the new tool is selected on the second. I would expect to click on the desired tool onec.

NCR ID: ECSed04394

Software: FUI

Title: Tools dialog box is corrupted when re-opened

Severity: 3

Problem: If the user closes and opens the tools dialog box quickly, parts of the window become black. Each time, different parts of the window become corrupt

NCR ID: ECSed04395

Software: HRD

Title: RAID's not hosted to a minimum of 2 front-end processors

Severity: 3

Problem: RAID is only hosted to 1 front-end processor (only for release A)
F-HRD-03040

NCR ID: ECSed04400

Software: FUI

Title: S/C ID field for event messages not consistent

Severity: 3

Problem: "S\C field in events" display -some events msgs show up lower case, some upper case

NCR ID: ECSed04401

Software: FUI

Title: The same window gets invoked 2 times; one is blank and cannot be clos

Severity: 3

Problem: If the user opens the same window up two times. For instance the telemetry dialog window, the first window comes up blank and the only way for the user to close it is to kill the process

NCR ID: ECSed04405

Software: TLM

Title: Space craft ID is 0 it should be 43

Severity: 3

Problem: When telemetry is flowing, the spacecraft ID is getting updated with 0 according to the ICD106 the space craft should be 43

NCR ID: ECSed04407

Software: FUI
Title: Load Manager window is invoked with Room builder
Severity: 3
Problem: Displaying the room builder tool, will also invoke the load manager window. The room builder window was invoked from the tools dialog box

NCR ID: ECSed04409
Software: FUI
Title: Continuous scrolling ground script finished message
Severity: 3
Problem: When a user has completed ground script execution meaning ground script controller has successfully executed all cmds and directives a msg indicating "the current ground script has been finished scrolls continuously until ground script controller is killed or brought down.

NCR ID: ECSed04423
Software: FUI
Title: Iconifying load manager & control window names the icon as top level
Severity: 3
Problem: The name on the icon for the control and load manager is "top level" all iconified windows should have their window name be the same as icon name

NCR ID: ECSed04425
Software: PAS
Title: No Dialog MSG w/ Non-impact option
Severity: 3
Problem: During the scheduling option in a "non-impact" mode, a msg should appear saying what happened to the scheduled activity

NCR ID: ECSed04427
Software: FUI
Title: Event display timeline update is delayed
Severity: 3
Problem: When running the event driver, there is a delay of "one cycle" in updating the event display graphic timeline. The attached snap shows 7 text events at time 16:06:15. But the graphic timeline shows only one event, which corresponds to the highlighted CMD event. (the first event in the sequence of 7 events). eventually the other 6 events were displayed on the graphic time line only after another event was introduced

NCR ID: ECSed04431
Software: PAS
Title: Error dialog box for activity scheduling has MsgDialogShell as title
Severity: 3

Problem: Error dialog box has the wrong title. "error" should be the title

NCR ID: ECSed04436

Software: FUI

Title: Times from the pair time selector are different than the selected time

Severity: 3

Problem: The time selected in the pair time selector window was 19:00:00. When the user clicked OK, and viewed the time in the selected time table of the analysis request builder, the stop time was 18:59:59

NCR ID: ECSed04441

Software: FUI

Title: Stats Rate in selected param field is displayed in seconds only

Severity: 3

Problem: When the user selects parameters for a statistics request, the selected parameters table displays the rate in seconds. 1 day equals 86400 seconds. This should be displayed in Days, Hours, Minutes & seconds.

NCR ID: ECSed04442

Software: ANA

Title: Incorrect error msg when saving an incomplete analysis request

Severity: 3

Problem: The user tried to save an analysis request without submitting times. Received an error message: Requests cannot be sent, start/stop times must be selected. Expected to see an error message indicating that request could not be saved rather than sent.

NCR ID: ECSed04443

Software: FUI

Title: Real-time graphs can't resize the graph display

Severity: 3

Problem: The size of the graph can not be changed. The user should be able to change the physical size of the graph.

NCR ID: ECSed04444

Software: FUI

Title: Real-time graphs can't specify graph length

Severity: 3

Problem: The length of the graph can not be specified. The graph continues to scroll. The user can never go back to see the beginning of the graph after a certain period of time.

NCR ID: ECSed04445

Software: FUI
Title: Real-time tables - table is too big for window
Severity: 3
Problem: The user can't see the entire table unless the telemetry window is maximized. The scroll bars can't be used. The table should shrink down with the window.

NCR ID: ECSed04447
Software: FUI
Title: Wait 10 directive does not recognize suspend directive
Severity: 3
Problem: User entered a wait10 directive as part of a groundscript. User suspended the ground script while the system was in a wait state the ground script execution resumes automatically after the specified wait time, instead of waiting for the user to initiate the resume option

NCR ID: ECSed04450
Software: DMS
Title: No way to exit stored command indicator
Severity: 3
Problem: The stored cmd indicator field is supplied by the FOT. There is no way to set stored command indicator so it will pass validation

NCR ID: ECSed04453
Software: ANA
Title: Badly worded event msg upon analysis request submittal
Severity: 3
Problem: When submitting analysis request recieved msgs string x was created instead of meaningful event msg

NCR ID: ECSed04455
Software: ANA
Title: Number of simultaneous requests has not been determined
Severity: 3
Problem: The number of simultaneous requests that a user cab submit has not been determined
F-ANA-08010

NCR ID: ECSed04457
Software: FUI
Title: Only one spacecraft to test filtering capabilities
Severity: 3
Problem: All filter capabilities can't br tested because there is only one spacecraft to filter on.
F-FUI-03205
03215

03220

NCR ID: ECSed04459
Software: HRD
Title: Data server processors shall be individual
Severity: 3
Problem: There is only one data server in the EOC. Unable to compare it with any other data server

NCR ID: ECSed04460
Software: HRD
Title: H9A10 cabinet panel do not remove
Severity: 3
Problem: Unable to locate in vendor documentation that side panels remove. Unable to test removal due to cabinet placement

Appendix A. Build Instructions

This appendix describes the necessary installation/build procedure which will be used for installing the FOS custom software released by the CM at the various DAACs. This procedure is based on the assumption that the necessary tar files have been copied (using ftp) from the CM directory to the directories on the FOS machine where the installation is to be done.

A.1 Build Process

The FOS custom software build process is performed in order to generate a new set of executables. These files are subsequently loaded into specific workstations and file servers in order to meet the functional requirements of the FOS program.

The build process inputs consist of the following:

1. ClearCase views for each sub-system
2. The correct file versions dictated by the views' configuration specification
3. The pertinent NCRs that were addressed by the build

Scripts are invoked in order to perform the builds. There are two ways of actually doing this. One is by using an enhanced version of ClearCase's Graphical User Interface (GUI). The other is by keying in commands and executing them in a Command Line Interface (CLI). The GUI performs the same commands as the CLI, however the GUI executes the scripts by pointing and clicking a mouse, rather than keying in all of the detail UNIX and Cleartool commands.

The FOS custom software is partitioned into ten (10) areas. The first partition is known as FOSCOMMON, and is comprised of common code that is referenced by the remaining nine subsystems. The nine subsystems are:

- Analysis Subsystem (ANA)
- Command Subsystem(CMD)
- Command Management Subsystem (CMS)
- Data Management Subsystem (DMS)
- FOS User Interface Subsystem (FUI)
- Planning and Scheduling Subsystem (PAS)
- Real-Time Contact Management Subsystem (RCM)
- Resource Management Subsystem (RMS)
- Telemetry Subsystem (TLM)

FOSCOMMON is built *first*. DMS is built *last*. Other than these two constraints, the build order is arbitrary. Each subsystem is built by performing the following five steps:

- Set the view
- Set the path to the subsystem
- Specify the target platform (Sun or DEC)
- Source the .buildrc file

- Enter `clearmake -C GNU -V`

The CLI interface commands are located in the `/scripts/` area. The xclearcase GUI enhanced menu, Configuration Management/Change Control (CM/CC), performs all of the housekeeping for building FOS custom software.

A.2 GUI Build Process

The GUI build process is described below:

1. Ensure that the `cm-cc.grp` menu file resides in `/home/$USER/grp` path
2. Run “xclearcase” from a licensed node

`voyager{user}6: xclearcase &`

Using the menu, select the view needed for building FOSCOMMON, expand the menu to fill the monitor by clicking the larger upper right corner button. Ensure that the subsystem `make.targets` file has the target platform set.

3. Click on “CM/CC”
4. Click on “Build FOS S/W”
5. Click on “Foscommon”
6. Display the transcripts window to provide visibility to the FOSCOMMON build.

The FOSCOMMON build is complete when the `build-foscommon` script finishes. For each of the remaining nine subsystems, perform the following steps:

7. Using the menu, select the view needed for building the next subsystem
8. Ensure that the subsystem `make.targets` file has the target platform set
9. Click on “CM/CC”
10. Click on “Build FOS S/W”
11. Click on the next subsystem
12. Display the transcripts window to provide visibility to the subsystem build. The FOSCOMMON build is complete when the `build-subsystem` script finishes

A record of the build is saved into a logfile, named `/home/$USER/logfile`. This file can be saved and printed to record the build process for Quality Assurance purposes.

A.3 CLI Build Process

The CLI build process is described below:

1. Build FOSCOMMON:

- Enter the command: `cleartool setview {appropriate view tag}`
2. Set the correct path for FOSCOMMON: `cd /ecs/formal/fos/foscommon2`
 3. Ensure that the subsystem `make.targets` file has the target platform set. Enter the command: `source .buildrc`
 4. Enter the command: `Clearmake -C GNU -V`

FOSCOMMON build is complete when the Clearmake finishes. For the remaining nine subsystems, perform the following steps:

A.3.1 Build ANA

1. Enter the command:
`cleartool setview {appropriate view tag}`
2. Set the correct path for ANA: `cd /ecs/formal/fos/ana2`
3. Ensure that the subsystem `make.targets` file has the target platform set
4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

ANA build is complete when the Clearmake finishes

A.3.2 Build CMD

1. Enter the command:
`cleartool setview {appropriate view tag}`
2. Set the correct path for CMD: `cd /ecs/formal/fos/cmd2`
3. Ensure that the subsystem `make.targets` file has the target platform set
4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

CMD build is complete when the Clearmake finishes

A.3.3 Build CMS

1. Enter the command:
`cleartool setview {appropriate view tag}`
2. Set the correct path for CMS: `cd /ecs/formal/fos/cms`
3. Ensure that the subsystem `make.targets` file has the target platform set

4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

CMS build is complete when the Clearmake finishes

A.3.4 Build FUI

1. Enter the command:
`cleartool setview {appropriate view tag}`
2. Set the correct path for FUI: `cd /ecs/formal/fos/fui3`
3. Ensure that the subsystem `make.targets` file has the target platform set
4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

FUI build is complete when the Clearmake finishes

A.3.5 Build PAS

1. Enter the command:
`cleartool setview {appropriate view tag}`
2. Set the correct path for PAS: `cd /ecs/formal/fos/pas`
3. Ensure that the subsystem `make.targets` file has the target platform set
4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

PAS build is complete when the Clearmake finishes

A.3.6 Build RCM

1. Enter the command:
`cleartool setview {appropriate view tag}`
2. Set the correct path for RCM: `cd /ecs/formal/fos/rcm3`
3. Ensure that the subsystem `make.targets` file has the target platform set
4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

RCM build is complete when the Clearmake finishes

A.3.7 Build RMS

1. Enter the command:

```
cleartool setview {appropriate view tag}
```

2. Set the correct path for RMS: `cd /ecs/formal/fos/rms2`
3. Ensure that the subsystem `make.targets` file has the target platform set
4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

RMS build is complete when the Clearmake finishes

A.3.8 Build TLM

1. Enter the command:

```
cleartool setview {appropriate view tag}
```

2. Set the correct path for TLM: `cd /ecs/formal/fos/tlm2`
3. Ensure that the subsystem `make.targets` file has the target platform set
4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

TLM build is complete when the Clearmake finishes

A.3.9 Build DMS

1. Enter the command:

```
cleartool setview {appropriate view tag}
```

2. Set the correct path for DMS: `cd /ecs/formal/fos/dms4`
3. Ensure that the subsystem `make.targets` file has the target platform set
4. Enter the command: `source .buildrc`
5. Enter the command: `Clearmake -C GNU -V`

DMS build is complete when the Clearmake finishes

The entire Build process is complete when all the subsystems have successfully built after the FOSCOMMON. It is now possible to begin the Installation process.

This page intentionally left blank.

Appendix B. Installation Procedure

This section outlines the installation procedure for the FOS custom software.

1. Untar tar file. The command is: `tar xvf file.tar`
2. Uncompress file. The command is: `uncompress file.tar.Z`
3. Copy files at the directory level.

This page intentionally left blank.

Appendix C. Special Operating Instructions

Along with the formal documents, FOS software is delivered with README files for most of the subsystems. These files are located in the doc directory for each subsystem. The following disclaimer applies to these files.

These README files have not been verified. They do, however, contain valid and useful information concerning the setting of environment variables and compile instructions. However, should there be any errors or discrepancies between the instructions contained in the README files and the delivered documentation, the delivered documentation should take precedence.

This page intentionally left blank.

Appendix D. User Feedback Procedures

Feedback from the Users

Collating user feedback is one of the primary goals of FOS. Collected user feedback will be provided directly to the subsequent release teams for further assessment and action. Several feedback channels will be provided for effective collection of data.

URDB

Link to URDB will be provided on the FOS WEB page which is under construction.

Bulletin board

FOS bulletin board server is located on <http://newsroom.hitc.com/fos/fos.html>.

Non Conformance Reports (NCR)

NCRs for FOS are submitted using the FOS NCR WEB page (URL <http://newsroom.gsfc.nasa.gov/sit/ddts/ddts.html>). This page provides a direct link to the EDF DDTs database which tracks the FOS NCRs. The access is allowed only to authorized ECS users. The procedure for submitting NCRs is explained in detail in the Project Instruction (PI) SD-1-014, Software Nonconformance Reporting.

Feedback to the users

Keeping the users of the system informed about the status and operational aspects of the system is also as important as collecting feedback from the users. Consistent with this approach, users will be able to get FOS data from the following channels:

Bulletin board

Information will be posted to the bulletin board at <http://newsroom.hitc.com/fos/fos.html>.

FOS WEB Page

FOS WEB Page (under construction) will also provide useful information including access to the FOS documentation on-line.

This page intentionally left blank.

Abbreviations and Acronyms

ANA	Analysis Subsystem
CC	Change Control
CCB	Change Control Board (Hughes Convention)
CCR	Configuration Change Request
CCSDS	Consultative Committee for Space Data Systems
CDRL	Contract Deliverable Requirements List
CERES	Clouds and Earth Radiant Energy System
CI	Configuration Item
CLI	Command Line Interface
CLTU	Command Link Transmission Unit
CM	Configuration Management
CMD	Command Subsystem
CMS	Command Management Subsystem
COTS	Commercial off-the-shelf Software
CSMS	Communications and Systems Management Segment (ECS)
CRC	Cyclic Redundancy Code
CSC	Coordinate System Conversion
CSCI	Computer Software Configuration Item
CSS	Communication Subsystem
DAAC	Distributed Active Archive Center
DCE	Distributed Computing Environment
DCN	Document Change Notice
DDTS	Distributed Defect Tracking system
DID	Data Item Description
DMS	Data Management Subsystem
DSN	Deep Space Network

DSS	Data Server Subsystem
ECL	ECS Command Language
ECS	EOSDIS Core System
EDHS	ECS Data Handling System
EDOS	EOS Data and Operations System
EOC	EOS Operations Center
EOS	Earth Observing System
EOSAM	EOS AM Project (morning spacecraft series)
EOSDIS	EOS Data and Information System
EOSPM	EOS PM Project (afternoon spacecraft series)
ESDIS	Earth Science Data and Information System
FOP	Frame Operations Procedure
FOS	Flight Operations Segment
FOT	Flight Operations Team
ftp	File Transfer Protocol
FUI	FOS User Interface Subsystem
GSFC	Goddard Space Flight Center
GUI	Graphical User Interface
HAIS	Hughes Applied Information Systems
HITC	Hughes Information Technology Company
I&T	Integration & Test
I/O	Input/Output
IP	International Partner
ISS	Internetworking Subsystem
IST	Instrument Support Toolkit
LaRC	Langley Research Center
M&O	Maintenance and Operation
MET	Metadata
MSS	Management Subsystem

NASA	National Aeronautics and Space Administration
NCC	Network Control Center (GSFC)
NCR	Nonconformance Report
NCSA	National Center for Supercomputer Applications
PAS	Planning and Scheduling
PDB	Project Data Base
PDR	Preliminary Design Review
PI	Project Instruction or Principal Investigation
QA	Quality Assurance
RCM	Real-Time Contact Management Subsystem
RMS	Resource Management Subsystem
RRDB	Recommended Requirements Database
SCF	Science Computing Facility
SDP	Science Data Production
SDPS	Science Data Processing Segment
SDPF	Science Data Processing Facility
TBD	To Be Determined
TL	Team Leader
TLM	Telemetry Subsystem
TRMM	Tropical Rainfall Measuring Mission (joint US - Japan)
URL	Universal Research Locator
US	United States
WWW	World Wide Web

